


Product List

AUGUST 2018



Mobile Lifts Overhead Lifts Accessories Slings



Enhancing outcomes for
patients and their caregivers®

Hill-Rom

Table of Contents

Mobile Lifts	4-11
Golvo	4
Uno	5
Viking	6-7
Liko M220, Liko M230	8
Sabina	9-11
Accessories for Sabina	9-10
Slings for Sabina	10-11
Accessories for Mobile Lifts	12-15
Support for Raising	16
RollOn	16
Overhead Lifts	17-26
Multirall	17
Multirall - Accessories	17-19
LikoGuard	20
LikoGuard - Accessories	20-21
Likorall	22
Likorall - Accessories	22-26
Rail System	27-35
Rail System H70	27
Rail System H100-H180	28-29
End Covers	29-30
Assembly Parts - Ceiling Mounted Rail System	30-31
Assembly Parts - Suspended Rail System	32-33
Rail Switch System	34
Traverse Rail Carrier	35
Traverse Carrier Multi	35
Freestanding Lift System	36-39
FreeSpan Straight Rail	36
FreeSpan Traverse	37
FreeSpan UltraTwin Traverse	37
FreeSpan UltraTwin	38
FreeStand	39
Curtain System	40
FreeSpirit E-system	40
FreeSpirit T-system	40
Lifting Accessories	41-43
Slings for Children	44-47
TeddySling Original / Liko OriginalSling, Mod. 10	44
Liko Original HighBack Sling, Mod. 200	44
TeddySling Soft Original, Mod. 26	45
Liko SilhouetteSling, Mod. 22	45
Teddy HygieneSling / Liko HygieneSling, Mod. 41	46
Teddy Hygiene SafetySling, Mod. 46	46
Teddy HygieneVest, Mod. 50	46
Teddy HygieneVest HighBack / Liko HygieneVest HighBack, Mod. 55	46
TeddyVest / Liko MasterVest, Mod. 60	47
TeddyVest, front closure, Mod. 64	47
Leg Harness MasterVest, Mod. 66	47
TeddyPants, Mod. 92	47

Slings for Adults	48-55
Liko UniversalSling, Mod. 000	48
Liko Universal HighLevel Sling, Mod. 002	48
Liko UltraSling, Mod. 06	48
Liko OriginalSling, Mod. 10/11	49
Liko Original HighBack Sling, Mod. 200/210	50
Liko SilhouetteSling, Mod. 22	51
Liko Soft Original HighBack Sling, Mod. 26	51
Liko ComfortSling Plus, Mod. 300	51
Liko ComfortSling Plus with Hygiene Opening, Mod. 310	51
Liko ComfortSling Plus High, Mod. 350	51
Liko ComfortSling Plus High with Hygiene Opening, Mod. 360	51
Liko HygieneSling, Mod. 40	52
Liko HygieneSling with Belt, Mod. 41	52
Liko HygieneSling with SafetyBelt, Mod. 45	52
Liko HygieneSling with SafetyBelt and extra back support, Mod. 46	52
Liko HygieneVest, Mod. 50	53
Liko HygieneVest HighBack, Mod. 55	53
Liko MasterVest, Mod. 60	53
Liko MasterVest front closure, Mod. 64	53
Leg Harness MasterVest, Mod. 66	54
Liko AmputeeSling, Mod. 70	54
Liko Amputee HighBack Sling, Mod. 75	54
Liko LiftPants, Mod. 92	54
Ultra LiftPants, Mod. 920	55
Solo HighBack Sling, Mod. 25	55
Accessories for Slings	56-57
Liko Stretchers	58-60
Liko OctoStretch	58
LikoStretch 1900	58
LikoStretch Mod 600 IC	59
Liko FlexoStretch and UltraStretch	60
Liko Stretchers - Miscellaneous	60
RepoSheet	61
RepoSheet Original	61
Solo RepoSheet	61
MultiStrap	61
MultiStrap	61
Solo MultiStrap	61
Manual Aids	62
HandyTube	62
HandySheet	62
HandyBelt	62
Furniture Risers	63
Discontinued Models	64

The Product List does not contain the entire product range. If there are products you cannot find, contact your Hill-Rom representative.

Liko™ reserves the right, without prior notice, to change, modify, re-design or discontinue any item at any time.







The management system for both manufacturing and development of the product is certified in accordance with ISO9001 and its equivalent for the medical device industry, ISO13485. The management system is also certified in accordance with the environmental standard ISO14001.


Golvo™ mobile lift

Product specification for a complete configured product:

Golvo™ mobile lift - chosen by the customer
 Battery - chosen by the customer
 Charger cord - based on country

Accessories: Holder for Quick Reference Guide, Prod. No 2000100
 Quick Guide, Prod. No. 2000400XXXX, please see Accessories for Mobile Lifts to select language.

PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2000045	Golvo 9000 Intelligent control box with display, hand control with cable, electrical lifting/lowering motions (two speeds), electrical base width adjustment, wheels 75/75, Universal SlingBar 450. Lifting height 1816 mm (71.5 in). Max 200 kg (440 lbs). Note: battery needs to be chosen and ordered as a separate article (Prod. No. 2006106 or 2006110).	pce		
2000049	Golvo 9000 LowBase Intelligent control box with display, hand control with cable, electrical lifting/lowering motions (two speeds), electrical base width adjustment, wheels 46/75, Universal SlingBar 450. Lifting height 1816 mm (71.5 in). Max 200 kg (440 lbs). Note: battery needs to be chosen and ordered as a separate article (Prod. No. 2006106 or 2006110).	pce		
2006106	Battery Lead Acid	pce		
2006110	Battery Lithium Ion	pce		
20090071	LowBase Kit Golvo 7007/8008/9000	set		
2006011G 2006012G	Leg Protector Set Golvo 7000/8000, grey Leg Protector Set Golvo 7007/8008/9000, grey	pair pair		

Uno™ mobile lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
2010004	Uno 102 EE Electrical lifting/lowering motion, electrical base- width adjustment, OuterTube, holder with quick reference guide, built-in charger, wheels 75/75, Universal SlingBar 450. Max 175 kg (385 lbs).	pce		

Viking™ XL, Viking™ L mobile lift

Product specification for a complete configured Viking L or Viking XL:





Viking L or XL mobile lift - chosen by customer





Battery - chosen by customer




Charger cord - based on country








Accessories: Holder for Quick Reference Guide, Prod. No 2000100





Quick Guide, Prod. No. 2000400XXX, please see Accessories for Mobile Lifts to select language.



PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2040043	Viking XL Intelligent control box with display, hand control with cable, electrical lifting/lowering motion (two speeds), electrical base-width adjustment, built-in charger, wheels 100/125, Universal TwinBar 670. Max 300 kg (660 lbs). Note: battery needs to be chosen and ordered as a separate article (Prod. No. 2006106 or 2006110).	pce		
2040044	Viking L Intelligent control box with display, hand control with cable, electrical lifting/lowering motion (two speeds), electrical base-width adjustment, built-in charger, wheels 100/125, Universal SlingBar 450. Max 250 kg (550 lbs). Note: battery needs to be chosen and ordered as a separate article (Prod. No. 2006106 or 2006110).			
2006106	Battery Lead Acid	pce		
2006110	Battery Lithium Ion	pce		






Viking™ M mobile lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2040045	Viking M Intelligent control box with display, hand control with cable, electrical lifting/lowering motion, electrical base-width adjustment, OuterTube, built-in charger, wheels 75/75, Universal SlingBar 450. Max 205 kg (450 lbs). Accessories: Holder for Quick Reference Guide, Prod. No 2000100 Quick Reference Guide, Prod. No. 2040400XXXX, please see Accessories for Mobile Lifts to select language.	pce		
2107104 2107105 2107106	Cable Reel EU Cable Reel UK Cable Reel U / NZ Fits Viking S and Viking XS.	pce pce pce		
2047011	Viking Armrest M Fits Viking M, L and Viking XL	pce		
2046011 2046012 2046013	Leg Protector Viking S, M Leg Protector Viking L Leg Protector Viking XL	pair pair pair		





Liko™ M220, Liko™ M230 mobile lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2050010	Liko M220 Electrical lifting/lowering motion, mechanical base-width adjustment, built-in charger, hand control with cable, quick reference guide with chain, wheels 75/75, SlingBar Liko 450. Max 182 kg (400 lbs)	pce		
2050015	Liko M230 Electrical lifting/lowering motion, electrical base-width adjustment, built-in charger, hand control with cable, quick reference guide with chain, wheels 75/75, SlingBar Liko 450. Max 182 kg (400 lbs).	pce		
3156233	Adapter Kit LikoScale M220/M230	set		


Sabina™ mobile lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2020003	Sabina II EE Electrical lifting/lowering motion (two speeds), electrical base-width adjustment, built-in charger, wheels 75/75. Sling bar is not included. Max 200 kg (440 lbs). Product specification for a complete configured Sabina II EE: Sabina II EE - Prod. No 2020003 SlingBar - chosen by the customer Charger cord - based on country Note: Calf strap, Holder for Quick Reference Guide, Quick Reference Guide, and Leg protectors available as accessories.	pce		
2020020	Sabina 200 Electrical lifting/lowering motion, electrical base-width adjustment, holder with quick reference guide, built-in charger, wheels 75/75, Sabina II 350 SlingBar. Max 160 kg (350 lbs). Accessory: Calf Strap, Prod. No. 20290022	pce		
Accessories Sabina				
2027002	Sabina II 350 SlingBar Fits Sabina II.	pce		
2027003	Sabina II Comfort SlingBar, 600 mm (23.6 in) Fits Sabina II.	pce		
2027011	Sabina II HeelSupport Fits Sabina II and Sabina 200.	pair		
2027006	Sabina SeatStrap SlingBar Fits Sabina, all models.	pce		
2027007	Sabina II SeatStrap SlingBar Fits Sabina II.	pce		

Sabina™ mobile lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Accessories Sabina				
3591115	Sabina SeatStrap™, incl. 2 pcs Loop Clips Fits Sabina, all models. Max 200 kg (440 lbs).	pce		
20290022	Calf Strap Fits Leg Support Sabina, all models.	pce		
Slings for Sabina				
Liko SupportVest™, Mod. 91				
3591134 3591135 3591136 3591137	with padding, S with padding, M with padding, L with padding, XL Incl. 2 pcs Loop Clips. Fits Sabina II 350 SlingBar.	pce pce pce pce		
3691107	Extension Belt III for SupportVest Extends 7-48 cm (3-19 in).	pce		
Liko SafetyVest™, Mod. 93				
3593115 3593116	M L Incl. 4 pcs Loop Clips. Padding available as an accessory, see below. Fits Sabina II 350 SlingBar.	pce pce		
3691034 3691035 3691036 3691037	Padding for Vest Mod. 91 (3591134), S Padding for Vest Mod. 91 & 93 (3591135 & 3593115), M Padding for Vest Mod. 91 & 93 (3591136 & 3593116), L Padding for Vest Mod. 91 (3591137), XL	pce pce pce pce		
Liko SafetyVest™, with extra back support, Mod. 94				
3594415 3594416	M L Incl. 4 pcs Loop Clips. Fits Sabina II 350 SlingBar.	pce pce		


Slings for Sabina				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Liko ComfortVest™, Mod. 95				
3595414 3595415 3595416 3595417	S M L XL Incl. 4 pcs Loop Clips. Fits Sabina II Comfort SlingBar.	pce pce pce pce		
Solo SupportVest™, Mod. 911				
35911915-4 35911916-4	M, 4 x 5 pcs L, 4 x 5 pcs Nonwoven material. Not washable. Fits Sabina II 350 SlingBar.	box box		

Accessories for Mobile Lifts				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2004106EU 2004106UK 2004106USCA 2004106AUNZ 2004106JP	Charger for Extra Battery, for wall mounting, EU Charger for Extra Battery, for wall mounting, UK Charger for Extra Battery, for wall mounting, USCA Charger for Extra Battery, for wall mounting, AUNZ Charger for Extra Battery, for wall mounting, JP Fits Golvo 7000ES/7007ES, Golvo 9000 Uno 100/102, Sabina II, LikoLight, Liko M220/M230 Viking XL Prod. No. 2040003, 2040003L, 2040043 Viking L Prod. No. 2040004, 2040044 Viking M Prod. No. 2040005 and 2040045	pce pce pce pce pce		
2107103	Table Charger Housing Fits Golvo 7000ES/7007ES, Golvo 9000 Uno 100/102, Sabina II, LikoLight, Liko M220/M230 Viking XL Prod. No. 2040003, 2040003L, 2040043 Viking L Prod. No. 2040004, 2040044 Viking M Prod. No. 2040005 and 2040045 Add on charger Prod. No. 2004106.	pce		
2006106	Battery Lead Acid Fits Golvo 7000ES/7007ES, Golvo 9000 Uno 100/102, Sabina II, LikoLight, Liko M220/M230 Viking XL Prod. No. 2040003, 2040003L, 2040043 Viking L Prod. No. 2040004, 2040044 Viking M Prod. No. 2040005 and 2040045	pce		
2004111 2004112 2004113 2004114	Wall Mounted Battery Charger, EU Wall Mounted Battery Charger, UK Wall Mounted Battery Charger, US/CA Wall Mounted Battery Charger, AU/NZ Fits Viking M Prod. No. 2040015, 2040035 Viking L Prod. No. 2040014, 2040034 Viking XL Prod. No. 2040013, 2040033 Golvo 8000/8008.	pce pce pce pce		
2006107	Extra Battery Box Fits Viking M Prod. No. 2040015, 2040035 Viking L Prod. No. 2040014, 2040034 Viking XL Prod. No. 2040013, 2040033 Golvo 8000/8008.	pce		
2006030	Cord for HandControl IR Fits Viking M Prod. No. 2040015 Viking L Prod. No. 2040014 Viking XL Prod. No. 2040013 Golvo 8000/8008.	pce		
3126148	Extension Cable 2.0 m (79 in.) Extra long charger cable for use with Sabina 200, Uno 200, Likorall 200 and Likorall 250 S IRC.	pce		

Accessories for Mobile Lifts				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2014305	Wheel Set 100/100 (higher base clearance) Fits Sabina II EE.	set		
2014306	Wheel Set 100/75 (lower base clearance) Fits Viking L and XL.	set		
20190029	Leg protector Fits Liko M220, Liko M230, Uno 100, Uno 102 rev 1 and Sabina	pair		
2037010	Lever for Base Width Adjustment Accessory to LikoLight	pce		
2000100	Holder for Quick Reference Guide	pce		
2000400SVFI 2000400NODK 2000400ENFR 2000400FRIT 2000400DENL 2000400ESPT 2000400CSSK 2000400ISEN 2000400JPEN 2000400TRSL 2000400LVL 2000400BGRO 2000400HRSR 2000400ELEN 2000400ETRU 2000400PLHU 2000400ZH-CNEN 2000400ZH-TWEN	Quick Guide Liko Mobile Lift System Swedish/Finnish Norwegian/Danish English/French French/Italian German/Dutch Spanish/Portuguese Czech/ Slovak Icelandic/English Japanese/English Turkish/Slovenian Latvian/Lithuanian Bulgarian/Romanian Croatian/Serbian Greek/English Estonian/Russian Polish/Hungarian Simplified Chinese/English Traditional Chinese/English	pce pce pce pce pce pce pce pce pce pce pce pce pce pce pce pce pce pce		







Accessories for Mobile Lifts				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2040400SVFI 2040400NODK 2040400ENFR 2040400DENL 2040400FRIT 2040400ESPT 2040400JPEN	Quick Reference Guide Viking M Swedish/Finnish Norwegian/Danish English/French German/Dutch French/Italian Spanish/Portuguese Japanese/English applies to: Viking M Prod. No. 2040045	pce pce pce pce pce pce pce		
2040110SVFI 2040110NODK 2040110ENES 2040110DEFR 2040110FRNL 2040110ITPT	Quick Reference Guide Viking XS/S Swedish/Finnish Norwegian/Danish English/Spanish German/French French/Dutch Italian/Portuguese applies to: Viking XS Prod. No. 2040007 from S/N 7401150 Viking S Prod. No. 2040006 from S/N 7301950	pce pce pce pce pce pce		
2010110SVFI 2010110NODK 2010110ENES 2010110DEFR 2010110FRNL 2010110ITPT	Quick Reference Guide Uno 102 Swedish/Finnish Norwegian/Danish English/Spanish German/French French/Dutch Italian/Portuguese	pce pce pce pce pce pce		
2010200SVFI 2010200NODK 2010200ENES 2010200DEFR 2010200FRNL 2010200ITPT	Quick Reference Guide Uno 200 Swedish/Finnish Norwegian/Danish English/Spanish German/French French/Dutch Italian/Portuguese	pce pce pce pce pce pce		
2050100SV 2050100EN 2050100NO 2050100DK 2050100DE 2050100FR 2050100ES 2050100IT 2050100NL	Quick Reference Guide Liko M220/M230, with chain Swedish English Norwegian Danish German French Spanish Italian Dutch	pce pce pce pce pce pce pce pce		




Accessories for Mobile Lifts				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
2020100SVFI 2020100NODK 2020100ENES 2020100DEFR 2020100FRNL 2020100ITPT	Quick Reference Guide Sabina II Swedish/Finnish Norwegian/Danish English/Spanish German/French French/Dutch Italian/Portuguese	pce pce pce pce pce pce		
2020200SVFI 2020200NODK 2020200ENES 2020200DEFR 2020200FRNL 2020200ITPT	Quick Reference Guide Sabina 200 Swedish/Finnish Norwegian/Danish English/Spanish German/French French/Dutch Italian/Portuguese	pce pce pce pce pce pce		


Support for Raising				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
6001001	RollOn Incl. holder with quick reference guide. Max 160 kg (350 lbs).	pce		
6001100SVFI 6001100ENES 6001100DEFR 6001100FRNL	Quick Reference Guide RollOn Swedish/Finnish English/Spanish German/French French/Dutch	pce pce pce pce		

Multirall™ overhead lift

NOTE! Multirall 200 is delivered without accessories. Complete the lift with appropriate carrier, hand control, charger, sling bar and parking panel. For choice of sling bar and other accessories, see page 41-61.




PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
3130001	Multirall 200 Max 200 kg (440 lbs)	pce		
Accessories Multirall				
3136001	HandControl MR	pce		
3136100	Carriage D45 with Double Hook	pce		
3136015	Carriage hook for MR/LR	pce		
3136016	Adapter MR/LR Fits Carriage hook for MR/LR, Prod. No. 3136015	pce		
3136226	Extension Belt, adjustable, 300-400 mm (12-16 in)	pce		
3136227	Extension Belt, adjustable, 400-600 mm (16-24 in)	pce		
3136228	Extension Belt, adjustable, 600-1000 mm (24-40 in)	pce		
3136229	Extension Belt, adjustable, 1000-1400 mm (40-55 in)	pce		
3136251	Room to Room Strap, adjustable, 1170 mm (46 in)	pce		
3136252	Room to Room Strap, adjustable, 1770 mm (70 in)	pce		
3136253	Room to Room Strap, adjustable, 2370 mm (93 in)	pce		
3136250	Strap Gripper	pce		
3136270	Quick-release Hook Bolt	pce		








Multirall™ overhead lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Accessories Multirall				
3136275	Bracket, Quick-release Hook Bolt	pce		
3126075 3126080	Parking Panel 600, LR/MR Parking Panel 1500, LR/MR Practical storage place for overhead lift accessories. Complement with appropriate quick reference guide, Battery Charger LR/MR, Bracket for Charger, Hook for SlingBar and Hook for Accessories.	pce pce		
3126100	Bracket for Charger Fits Battery Charger LR/MR, Prod. No. 3126101-04. To be mounted on the Parking Panel.	pce		
3126070	Hook for SlingBar Fits Universal SlingBar 350, 450 and 600. To be mounted on the Parking Panel.	pce		
3126071	Hook for Accessories For use with accessories e.g. slings. To be mounted on the Parking Panel.	pce		
3130100SVFI 3130100ENES 3130100NODK 3130100DEFR 3130100FRNL 3130100ITPT	Quick Reference Guide Multirall Swedish/Finnish English/Spanish Norwegian/ Danish German/French French/Dutch Italian/Portuguese	pce pce pce pce pce pce		
3126101 3126102 3126103 3126104	Battery Charger LR/MR, EU 24 V / 0.6 A Battery Charger LR/MR, UK 24 V / 0.6 A Battery Charger LR/MR, US / CA 24 V / 0.6 A Battery Charger LR/MR, AU / NZ 24 V / 0.6 A	pce pce pce pce		











Multirall™ overhead lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Accessories Multirall				
3136040	Extension Arm Adapter MR Fits Adapter MR/LR, Prod. No. 3136016.	pce		
3136300	Multirall Trolley <i>(not assembled)</i>	pce		
3136310	Holder for Accessories For attaching Extension Arm Multirall/ Helping Hand Multirall/Extension Arm Adapter MR to the Multirall Trolley.	set	  	







LikoGuard™ overhead lift








NOTE! LikoGuard is delivered without accessories. Complete the lift with appropriate hand control, carrier, sling bar and charger. For choice of other accessories, see page 41-61 and the Instruction Guide for LikoGuard.





PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
3301030	LikoGuard L Max 272 kg (600 lbs).	pce		
3301040	LikoGuard XL Max 363 kg (800 lbs).	pce		
Accessories LikoGuard				
3306010	HandControl LG 2-Button Indicates overload, service, battery power, charging. Fits LikoGuard L and XL.	pce		
3306020	HandControl LG 2-Button, with Display Display window with symbols, information and a menu (usage/service). Indicates battery power, service, overloading, charging. Fits LikoGuard L and XL.	pce		
3307010	Carriage LikoGuard Max 363 kg (800 lbs).	pce		
33070101	Carriage LikoGuard Compatible with Prism. Max 363 kg (800 lbs).	pce		
33070102	Carriage LikoGuard Compatible with Arjo. Max 363 kg (800 lbs).	pce		
3307510	IRC Carriage for LikoGuard Max 363 kg (800 lbs).	pce		
3308020	SlingGuard™ 450 Max 363 kg (800 lbs).	pce		
3308520	SlingGuard™ 450 with Quick Hook Multi Max 363 kg (800 lbs).	pce		
3308040	SlingGuard™ 670 Twin Max 363 kg (800 lbs).	pce		
3308540	SlingGuard™ 670 Twin with Quick Hook Multi Max 363 kg (800 lbs).	pce		




LikoGuard™ overhead lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Accessories LikoGuard				
3308810	Quick-Hook kit 1. Max 363 kg (800 lbs). Fits LikoScale 350 Prod. No. 3156228, LikoScale 200 Prod. No 3156225 LikoScale 400 Prod. No. 3156226 SlingGuard 450 Prod. No. 3308020, SlingGuard 450 Prod. No. 3308520, SlingGuard 670 Prod. No. 3308040, SlingGuard 670 Prod. No. 3308540.	set		
3308820	Fixed kit 1. Max 363 kg (800 lbs). Fits LikoScale 350 Prod. No. 3156228, LikoScale 200 Prod. No 3156225 LikoScale 400 Prod. No. 3156226 SlingGuard 450 Prod. No. 3308020, SlingGuard 450 Prod. No. 3308520, SlingGuard 670 Prod. No. 3308040, SlingGuard 670 Prod. No. 3308540.	set		
3308860	Fixed kit 4. Max 363 kg (800 lbs). Fits FlexoStretch Prod. No. 3156057, LikoStretch 1900 Prod. No. 3156051, OctoStretch Prod. No. 3156055 and 3156056, LikoStretch 600 Prod. No. 3156065 and 3156065B, Sling Cross-Bar 450 Prod. No. 3156021, Sling Cross-Bar 670 Prod. No. 3156018, SlingBar Mini 220 Prod. No. 3156005.	set		
3308880	Quick-Hook Multi. Max 363 kg (800 lbs). Fits SlingGuard 450 Prod. No. 3308020, SlingGuard 670 Twin Prod. No. 3308040	pce		
3308890	Fixed Link Multi. Max 363 kg (800 lbs). Fits SlingGuard 450 Prod. No. 3308520, SlingGuard 670 Prod. No. 3308540.	pce		
3305010 3305020 3305030 3305040 3305050	Wall Charger LG, EU Wall Charger LG, UK Wall Charger LG, AU/NZ Wall Charger LG, US Wall Charger LG, Hardwire Plug not included. For fixed installation. Licensed electrician is required when installing.	pce pce pce pce pce		
3305510 3305520 3305530 3305540 3305550	IRC Charger LG, EU IRC Charger LG, UK IRC Charger LG, AU/NZ IRC Charger LG, US IRC Charger LG, Hardwire Plug not included. For fixed installation. Licensed electrician is required when installing.	pce pce pce pce pce		

Likorall™ overhead lift				
NOTE! Likorall is delivered without accessories. Complete the lift with appropriate carrier, hand control (not Likorall 200), charger, sling bar and parking panel. Likorall is available in different models e.g. as a Room-to-Room (R2R) solution. Likorall's ES-models are prepared for Transfer motor. For choice of sling bar and other accessories, see page 41-61.				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
3121001	Likorall 200, natural. Max 200 kg (440 lbs). Incl. hand control.	pce		
3122005 3122006 3122009 3122010	Likorall 242 ES, natural. Max 200 kg (440 bs). Likorall 242 ES, white. Max 200 kg (440 lbs). Likorall 242 S, natural. Max 200 kg (440 lbs). Likorall 242 S, white. Max 200 kg (440 lbs).	pce pce pce pce		
3122007 3122008 3122011 3122012	Likorall 242 ES R2R, natural. Max 200 kg (440 lbs). Likorall 242 ES R2R, white. Max 200 kg (440 lbs). Likorall 242 S R2R, natural. Max 200 kg (440 lbs). Likorall 242 S R2R, white. Max 200 kg (440 lbs).	pce pce pce pce		
3123001 3123002	Likorall 243 ES, natural. Max 230 kg (507 lbs). Likorall 243 ES, white. Max 230 kg (507 lbs).	pce pce		
3122501 3122502 3124050	Likorall 250 ES, natural. Max 250 kg (550 lbs). Likorall 250 ES, white. Max 250 kg (550 lbs). Likorall 250 S, IRC, natural. Max 250 kg (550 lbs).	pce pce pce		
Accessories Likorall				
3126034	HandControl LR S, ES, 2 buttons (for operating lifting motion)	pce		
3126035	HandControl LR ES-4MS (for operating lifting motion and switches)	pce		
3126036	HandControl LR ES-4MT (for operating lifting motion and Transfer Motor)	pce		
3126038	HandControl LR ES-6MTS (for operating lifting motion, Transfer Motor and switches)	pce		
3126060	HandControl Remote IR (for operating lifting motion, Transfer Motor and switches)	pce		
3156100	Hang-Up HandControl Hanger, 10 pcs (standard on Likorall 242/243/250 and Multirall 200)	set		

Likorall™ overhead lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Accessories Likorall				
3126044	Transfer Motor Likorall ES Fits Likorall 242 ES, 242 ES R2R, 243 ES, 250 ES. Dampers Prod. no. 31290125 is required when installation together with Traverse Switch. Max 250 kg (550 lbs).	pce		
3126011	Carriage (2 pcs) with Brake LR Incl. screw and nut. Does not fit the RailCurves.	pair		
3126012	Carriage (2 pcs) without Brake LR Incl. screw and nut.	pair		
31260121	Carriage (2 pcs) without Brake LR Compatible with Prism. Incl. screw and nut.	pair		
31260122	Carriage (2 pcs) without Brake LR Compatible with Arjo. Incl. screw and nut.	pair		
31260123	Carriage (2 pcs) without Brake LR Compatible with Guldman. Incl. screw and nut.	pair		
3126008	Quick-release Carriage LR Fits Quick-release Adapter LR, Prod. No. 3126009.	set		
31260081	Quick-release Carriage LR Compatible with Prism. Fits Quick-release Adapter LR, Prod. No. 3126009.	set		
31260082	Quick-release Carriage LR Compatible with Arjo. Fits Quick-release Adapter LR, Prod. No. 3126009.	set		
3126009	Quick-release Adapter LR Fits Quick-release Carriage LR, Prod. No. 3126008, and Likorall, all models.	set		
3126014	Carriage without Brake for Likorall R2R For 90° turning of motor.	pce		
31260141	Carriage without Brake for Likorall R2R Compatible with Prism. For 90° turning of motor.	pce		
31260142	Carriage without Brake for Likorall R2R Compatible with Arjo. For 90° turning of motor.	pce		

Likorall™ overhead lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
Accessories Likorall				
31260143	Carriage without Brake for Likorall R2R Compatible with Guldman and Beram For 90° turning of motor.	pce		X
3126015	Carriage with Brake for Likorall R2R For 90° turning of motor.	pce		
3126028	Carriage LR 360° for R2R	pce		
3126029	Carriage Adapter LR for Quick-release Hook Fits Carriage S50, Prod. No. 3136010.	pce		
3121660 3121661 3121662	Carriage, adjustable 300-500 mm (12-20 in), R2R Carriage, adjustable 500-900 mm (20-35 in), R2R Carriage, adjustable 900-1300 mm (35-51 in), R2R	pce pce pce		
3126114	In Rail Charging System IRC Carriage for Likorall	pce		
3126141	IRC Charger EU	pce		
3126142	IRC Charger UK	pce		
3126143	IRC Charger US/CA	pce		
3126144	IRC Charger AU/NZ	pce		
3126150	IRC Track, 24 m (78 ft.)	pce		
3126155	IRC Assembly Set, Straight Rail	set		
3126156	IRC Assembly Set, Traverse	set		
3102540	IRC Traverse Adapter	pce		
3126160	IRC Application Tool, incl drilling fixture Complement with Likorall 250 S, IRC	pce		
3126110	MultiStation™ For charging or operating rail switches. Fits all models of Likorall 242, 243 and 250	pce		


Likorall™ overhead lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
3126109	Extension Flex Multi 1300 Extra long charger cable for use with Traverse Carrier Multi and MultiStation.	pce		
Accessories Likorall				
3126111	Multi-connector Fits all models of Likorall 242, 243 and 250.	pce		
3126120	Charger Station Hand control included. (Battery charger not included). Fits all models of Likorall 242, 243 and 250.	pce		
3126101	Battery Charger LR/MR, EU 24 V / 0.6 A	pce		
3126102	Battery Charger LR/MR, UK 24 V / 0.6 A	pce		
3126103	Battery Charger LR/MR, US / CA 24 V / 0.6 A	pce		
3126104	Battery Charger LR/MR, AU / NZ 24 V / 0.6 A	pce		
	Fits all models of Likorall 242, 243 and 250.			
3126131	Battery Charger Likorall 200, EU 24 V / 0.22 A	pce		
3126132	Battery Charger Likorall 200, UK 24 V / 0.22 A	pce		
3126133	Battery Charger Likorall 200, US/CA 24 V / 0.22 A	pce		
3126134	Battery Charger Likorall 200, AU/NZ 24 V / 0.22 A	pce		
3126148	Extension Cable 2.0 m (79 in.) Extra long charger cable for use with Sabina 200, Uno 200, Likorall 200 and Likorall 250 S IRC.	pce		
3126075	Parking Panel 600, LR/MR	pce		
3126080	Parking Panel 1500, LR/MR	pce		
	Practical storage place for overhead lift accessories. Complement with appropriate quick reference guide, appropriate charger, if necessary Bracket for Charger (for Battery Charger LR/MR), Hook for SlingBar and Hook for Accessories.			
3126100	Bracket for Charger Fits Battery Charger LR/MR, Prod. No. 3126101-04. To be mounted on the Parking Panel.	pce		
3126070	Hook for SlingBar Fits Universal SlingBar 350, 450 och 600. To be mounted on the Parking Panel.	pce		

Likorall™ overhead lift				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
3126071	Hook for Accessories For use with accessories e.g. slings. To be mounted on the Parking Panel.	pce		
Accessories Likorall				
3121100SVFI 3121100NO/DK 3121100ENES 3121100DEFR 3121100FRNL 3121100ITPT	Quick Reference Guide Likorall 200 Swedish/Finnish Norwegian/ Danish English/Spanish German/French French/Dutch Italian/Portuguese	pce pce pce pce pce pce		
3122100SVFI 3122100NO/DK 3122100ENES 3122100DEFR 3122100FRNL 3122100ITPT	Quick Reference Guide Likorall 242/243/250 Swedish/Finnish Norwegian/ Danish English/Spanish German/French French/Dutch Italian/Portuguese	pce pce pce pce pce pce		
3156006	SlingBar Mini 220 R2R Max 205 kg (450 lbs).	pce		
3156094	Universal SlingBar 350 R2R Max 300 kg (660 lbs).	pce		
3156095	Universal SlingBar 450 R2R Max 300 kg (660 lbs).	pce		











Rail System






To get a complete overhead lift system with correct combinations of products please contact your Hill-Rom representative.









PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW
Rail System H70			
31011020N	Straight Rail H70, 2.0 m (78 in), natural	pce	
31011022N	Straight Rail H70, 2.2 m (86 in), natural	pce	
31011024N	Straight Rail H70, 2.4 m (94 in), natural	pce	
31011026N	Straight Rail H70, 2.6 m (102 in), natural	pce	
31011028N	Straight Rail H70, 2.8 m (110 in), natural	pce	
31011029N	Straight Rail H70, 2.9 m (114 in), natural	pce	
31011030N	Straight Rail H70, 3.0 m (118 in), natural	pce	
31011032N	Straight Rail H70, 3.2 m (126 in), natural	pce	
31011034N	Straight Rail H70, 3.4 m (134 in), natural	pce	
31011036N	Straight Rail H70, 3.6 m (141 in), natural	pce	
31011038N	Straight Rail H70, 3.8 m (150 in), natural	pce	
31011040N	Straight Rail H70, 4.0 m (157 in), natural	pce	
31011042N	Straight Rail H70, 4.2 m (165 in), natural	pce	
31011044N	Straight Rail H70, 4.4 m (173 in), natural	pce	
31011046N	Straight Rail H70, 4.6 m (181 in), natural	pce	
31011048N	Straight Rail H70, 4.8 m (189 in), natural	pce	
31011050N	Straight Rail H70, 5.0 m (197 in), natural	pce	
31011020V	Straight Rail H70, 2.0 m (78 in), white	pce	
31011022V	Straight Rail H70, 2.2 m (86 in), white	pce	
31011024V	Straight Rail H70, 2.4 m (94 in), white	pce	
31011026V	Straight Rail H70, 2.6 m (102 in), white	pce	
31011028V	Straight Rail H70, 2.8 m (110 in), white	pce	
31011029V	Straight Rail H70, 2.9 m (114 in), white	pce	
31011030V	Straight Rail H70, 3.0 m (118 in), white	pce	
31011032V	Straight Rail H70, 3.2 m (126 in), white	pce	
31011034V	Straight Rail H70, 3.4 m (134 in), white	pce	
31011036V	Straight Rail H70, 3.6 m (141 in), white	pce	
31011038V	Straight Rail H70, 3.8 m (150 in), white	pce	
31011040V	Straight Rail H70, 4.0 m (157 in), white	pce	
31011042V	Straight Rail H70, 4.2 m (165 in), white	pce	
31011044V	Straight Rail H70, 4.4 m (173 in), white	pce	
31011046V	Straight Rail H70, 4.6 m (181 in), white	pce	
31011048V	Straight Rail H70, 4.8 m (189 in), white	pce	
31011050V	Straight Rail H70, 5.0 m (197 in), white	pce	
310412100N	90° RailCurve H70, natural, 1m/1m (39 in/39 in)	pce	
310412100V	90° RailCurve H70, white, 1m/1m (39 in/39 in)	pce	
310412201N	45° RailCurve H70, natural, 0.6 m/0.6 m (24 in/24 in)	pce	
310412201V	45° RailCurve H70, white, 0.6 m/0.6 m (24 in/24 in)	pce	
31012028V	Embedded Straight Rail H70, 2.8 m, white	pce	
31012030V	Embedded Straight Rail H70, 3.0 m, white	pce	
31012032V	Embedded Straight Rail H70, 3.2 m, white	pce	
31012034V	Embedded Straight Rail H70, 3.4 m, white	pce	
31012036V	Embedded Straight Rail H70, 3.6 m, white	pce	
31012038V	Embedded Straight Rail H70, 3.8 m, white	pce	
31012040V	Embedded Straight Rail H70, 4.0 m, white	pce	
31012042V	Embedded Straight Rail H70, 4.2 m, white	pce	
31012044V	Embedded Straight Rail H70, 4.4 m, white	pce	
310412110V	90° Embedded RailCurve H70, white, 1m/1m (39 in/39 in)	pce	
310412210V	45° Embedded RailCurve H70, white, 0.6 m/0.6 m (24 in/24 in)	pce	







Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Rail System H100-H180				
31013020N	Straight Rail H100, 2.0 m (78 in), natural	pce		
31013022N	Straight Rail H100, 2.2 m (86 in), natural	pce		
31013024N	Straight Rail H100, 2.4 m (94 in), natural	pce		
31013026N	Straight Rail H100, 2.6 m (102 in), natural	pce		
31013028N	Straight Rail H100, 2.8 m (110 in), natural	pce		
31013030N	Straight Rail H100, 3.0 m (118 in), natural	pce		
31013032N	Straight Rail H100, 3.2 m (126 in), natural	pce		
31013034N	Straight Rail H100, 3.4 m (134 in), natural	pce		
31013036N	Straight Rail H100, 3.6 m (141 in), natural	pce		
31013038N	Straight Rail H100, 3.8 m (150 in), natural	pce		
31013040N	Straight Rail H100, 4.0 m (157 in), natural	pce		
31013042N	Straight Rail H100, 4.2 m (165 in), natural	pce		
31013044N	Straight Rail H100, 4.4 m (173 in), natural	pce		
31013020V	Straight Rail H100, 2.0 m (78 in), white	pce		
31013022V	Straight Rail H100, 2.2 m (86 in), white	pce		
31013024V	Straight Rail H100, 2.4 m (94 in), white	pce		
31013026V	Straight Rail H100, 2.6 m (102 in), white	pce		
31013028V	Straight Rail H100, 2.8 m (110 in), white	pce		
31013030V	Straight Rail H100, 3.0 m (118 in), white	pce		
31013032V	Straight Rail H100, 3.2 m (126 in), white	pce		
31013034V	Straight Rail H100, 3.4 m (134 in), white	pce		
31013036V	Straight Rail H100, 3.6 m (141 in), white	pce		
31013038V	Straight Rail H100, 3.8 m (150 in), white	pce		
31013040V	Straight Rail H100, 4.0 m (157 in), white	pce		
31013042V	Straight Rail H100, 4.2 m (165 in), white	pce		
31013044V	Straight Rail H100, 4.4 m (173 in), white	pce		
31013428N	Straight Rail H140, 2.8 m (110 in), natural	pce		
31013430N	Straight Rail H140, 3.0 m (118 in), natural	pce		
31013432N	Straight Rail H140, 3.2 m (126 in), natural	pce		
31013434N	Straight Rail H140, 3.4 m (134 in), natural	pce		
31013436N	Straight Rail H140, 3.6 m (141 in), natural	pce		
31013438N	Straight Rail H140, 3.8 m (150 in), natural	pce		
31013440N	Straight Rail H140, 4.0 m (157 in), natural	pce		
31013442N	Straight Rail H140, 4.2 m (165 in), natural	pce		
31013444N	Straight Rail H140, 4.4 m (173 in), natural	pce		
31013446N	Straight Rail H140, 4.6 m (181 in), natural	pce		
31013448N	Straight Rail H140, 4.8 m (189 in), natural	pce		
31013450N	Straight Rail H140, 5.0 m (197 in), natural	pce		
31013452N	Straight Rail H140, 5.2 m (205 in), natural	pce		
31013454N	Straight Rail H140, 5.4 m (213 in), natural	pce		
31013456N	Straight Rail H140, 5.6 m (220 in), natural	pce		
31013458N	Straight Rail H140, 5.8 m (228 in), natural	pce		
31013460N	Straight Rail H140, 6.0 m (236 in), natural	pce		
31013462N	Straight Rail H140, 6.2 m (244 in), natural	pce		
31013464N	Straight Rail H140, 6.4 m (252 in), natural	pce		
31013428V	Straight Rail H140, 2.8 m (110 in), white	pce		
31013430V	Straight Rail H140, 3.0 m (118 in), white	pce		
31013432V	Straight Rail H140, 3.2 m (126 in), white	pce		
31013434V	Straight Rail H140, 3.4 m (134 in), white	pce		
31013436V	Straight Rail H140, 3.6 m (141 in), white	pce		
31013438V	Straight Rail H140, 3.8 m (150 in), white	pce		
31013440V	Straight Rail H140, 4.0 m (157 in), white	pce		
31013442V	Straight Rail H140, 4.2 m (165 in), white	pce		
31013444V	Straight Rail H140, 4.4 m (173 in), white	pce		
31013446V	Straight Rail H140, 4.6 m (181 in), white	pce		
31013448V	Straight Rail H140, 4.8 m (189 in), white	pce		
31013450V	Straight Rail H140, 5.0 m (197 in), white	pce		
31013452V	Straight Rail H140, 5.2 m (205 in), white	pce		
31013454V	Straight Rail H140, 5.4 m (213 in), white	pce		
31013456V	Straight Rail H140, 5.6 m (220 in), white	pce		









Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Rail System H100-H180				
31013458V 31013460V 31013462V 31013464V	Straight Rail H140, 5.8 m (228 in), white Straight Rail H140, 6.0 m (236 in), white Straight Rail H140, 6.2 m (244 in), white Straight Rail H140, 6.4 m (252 in), white	pce pce pce pce		
31013654N 31013656N 31013658N 31013660N 31013662N 31013664N 31013666N 31013668N 31013654V 31013656V 31013658V 31013660V 31013662V 31013664V 31013666V 31013668V	Straight Rail H160, 5.4 m (213 in), natural Straight Rail H160, 5.6 m (220 in), natural Straight Rail H160, 5.8 m (228 in), natural Straight Rail H160, 6.0 m (236 in), natural Straight Rail H160, 6.2 m (244 in), natural Straight Rail H160, 6.4 m (252 in), natural Straight Rail H160, 6.6 m (260 in), natural Straight Rail H160, 6.8 m (268 in), natural Straight Rail H160, 5.4 m (213 in), white Straight Rail H160, 5.6 m (220 in), white Straight Rail H160, 5.8 m (228 in), white Straight Rail H160, 6.0 m (236 in), white Straight Rail H160, 6.2 m (244 in), white Straight Rail H160, 6.4 m (252 in), white Straight Rail H160, 6.6 m (260 in), white Straight Rail H160, 6.8 m (268 in), white	pce pce pce pce pce pce pce pce pce pce pce pce pce pce pce pce		
31013078N	Straight Rail H180, 7.8 m (307 in), natural	pce		
3101060	End Stop Set	set		
End Covers				
3101050 3101055	End Cover H70, grey End Cover H70, white	pce pce		
31010555	Embedded End Cover H70, white	pce		
3101051 3101056	End Cover H100, grey End Cover H100, white	pce pce		
3101052 3101057	End Cover H140, grey End Cover H140, white	pce pce		
3101053 3101058	End Cover H160, grey End Cover H160, white	pce pce		
3101054 3101059	End Cover for Current Profile, grey End Cover for Current Profile, white	pce pce		










Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
End Covers				
3101040	Rail Cover, 5 pcs à 2.0 m (79 in)	set		
Assembly Parts - Ceiling Mounted Rail System				
3102061	Ceiling Bracket 61, white	pce		
3102062	Ceiling Bracket 61 Joint, white	pce		
3102071	Ceiling Bracket 71 Arch, white	pce		
3101562	Joint Piece 4-1	pair		
3101572	Joint Section 160	pce		
3102011 3102012 3102013 3102014	Pendant, adjustable 90-130 mm (4-5 in), white Pendant, adjustable 120-190 mm (5-7in), white Pendant, adjustable 180-250 mm (7-10 in), white Pendant, adjustable 240-310 mm (9-12 in), white	pce pce pce pce		
3102031 3102032 3102033 3102034	Pendant, adjustable 300-500 mm (12-20 in), white Pendant, adjustable 500-900 mm (20-35 in), white Pendant, adjustable 900-1300 mm (35-51 in), white Pendant, adjustable 1300-2100 mm (51-83 in), white	pce pce pce pce		
3102043	Pendant, adjustable 1600-2100 mm (63-83 in), white Attachment with 4 bolts.	pce		
3102051 3102052 3102053 3102054 3102055	Pendant Angled, adjustable 400-500 mm (16-20 in), white Pendant Angled, adjustable 500-700 mm (20-28 in), white Pendant Angled, adjustable 700-900 mm (28-35 in), white Pendant Angled, adjustable 900-1300 mm (35-51 in), white Pendant Angled, adjustable 1300-2100 mm (51-83 in), white	pce pce pce pce pce		


Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Assembly Parts - Ceiling Mounted Rail System				
3102091 3102092 3102093	Side Support 550-950 mm (22-37 in), white Side Support 850-1550 mm (34-61 in), white Side Support 1450-2750 mm (57-108 in), white	pce pce pce		
3101545	Side Support, 850-1550 mm (34-61 in), stainless	pce		
3102075	Damp Ceiling Bracket, white (counter action of vibration)	pce		
3101551	Threaded Steel Rods Mounting Set	set		
3101261	Distance Block, natural, 500 mm (20 in)	pce		
3102111 3102112 3102113 3102114	Pendant Cover Ø 32 mm (1.3 in.) Pendant Cover Ø 40 mm (1.6 in.) Pendant Cover Ø 45 mm (1.8 in.) Pendant Cover Ø 50 mm (2.0 in.)	pair pair pair pair		
3102101	Pendant Washer 1 mm (0.04 in.), 50 pcs	set		







Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Assembly Parts - Suspended Rail System				
31016226 31016230	Slimline Upright Support, 2.6 m (102 in), white Slimline Upright Support, 3.0 m (118 in), white	pce pce		
3101661	Assembly Parts for Slimline Upright Support	set		
3101662	Slimline Foot, high (add on assembly parts Prod. No. 3101661)	pce		
31015226V 31015230V	Upright Support, 2.6 m (102 in), white Upright Support, 3.0 m (118 in), white	pce pce		
3101561	Assembly Parts for One Upright Support With bracket, foot, distance block and coverhats.	set		
3101516	Upright Support Distance Aluspacer	pair		
3101517	Turnable Bracket for Upright Support Incl. foot, distance block and coverhats.	set		
3101518	Trunking Bypass (supply loop), white	pce		
31015326 31015329	Upright Support Steel, 2.6 m (102 in), white Upright Support Steel, 2.95 m (116 in), white	pce pce		





Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Assembly Parts - Suspended Rail System				
3101520	Superstructure Excl. upright supports, incl. profile, profile bracket and assembly parts, max width: 2 m (79 in). Fits Slimline Upright Support and Upright Support.	set		
3101507	Wall Bracket, turnable	pce		
3101508	Wall Bracket, parallel	pce		
3101355N	Assembly Parts for Suspended Rail System, incl. Bayonet Rail 0.5 m (20 in), natural. Fits rail H100.	set		
3101356N	Assembly Parts for Suspended Rail System, incl. Bayonet Rail 0.5 m (20 in), natural. Fits rails H140, H160, H180.	set		
3101358N	Assembly Parts for Suspended Rail System, incl. Bayonet Rail 1.0 m (39 in), natural. Fits rails H140, H160, H180.	set		
3101355V	Assembly Parts for Suspended Rail System, incl. Bayonet Rail 0.5 m (20 in), white. Fits rail H100.	set		
3101356V	Assembly Parts for Suspended Rail System, incl. Bayonet Rail 0.5 m (20 in), white. Fits rails H140, H160, H180.	set		
3101358V	Assembly Parts for Suspended Rail System, incl. Bayonet Rail 1.0 m (39 in), white. Fits rails H140, H160, H180.	set		
3101299	Assembly Set Reinforcement Rail 50	set		
3101300	Assembly Set Reinforcement Rail 100	set		
3101321N	Reinforcement Rail 30, natural, 1.45 m (58 in)	pce		
3101312N	Reinforcement Rail 50, natural, 1.95 m (77 in)	pce		
3101303N	Reinforcement Rail 100, natural, 2.4 m (95 in)	pce		
3101304N	Reinforcement Rail 100, natural, 2.9 m (114 in)	pce		
3101305N	Reinforcement Rail 100, natural, 3.4 m (134 in)	pce		
3101306N	Reinforcement Rail 100, natural, 3.9 m (154 in)	pce		
3101321V	Reinforcement Rail 30, white, 1.45 m (58 in)	pce		
3101312V	Reinforcement Rail 50, white, 1.95 m (77 in)	pce		
3101303V	Reinforcement Rail 100, white, 2.4 m (95 in)	pce		
3101304V	Reinforcement Rail 100, white, 2.9 m (114 in)	pce		
3101305V	Reinforcement Rail 100, white, 3.4 m (134 in)	pce		
3101306V	Reinforcement Rail 100, white, 3.9 m (154 in)	pce		
3101380V	Rail Joint Incl. assembly set Prod. No. 3101385.	set		



Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Rail Switch System				
Traverse Switch (Prod. No. 3124604) and Side Rail Switch (Prod. No. 3124633 or 3124634) are operated via hand control and control box or via Likorall with MultiStation. NOTE! Products described below fit only Rail System H70.				
3124604	Traverse Switch, incl. dampers (for transitions between a straight rail and a traverse system)	set		
3124631 3124632	Side Rail Switch, manual, natural Side Rail Switch, manual, white (for transitions between straight rails)	pce pce		
3124633 3124634	Side Rail Switch, electrical, natural Side Rail Switch, electrical, whit (for transitions between straight rails)	pce pce		
3124625 3124626	Turntable, mechanical, grey Turntable, mechanical, white	pce pce		
3124623 3124624	Turntable, electrical, grey Turntable, electrical, white	pce pce		
3101570	Stabilization Bar for Traverse Switch Fits Traverse Switch (Prod. No. 3124604).	pce		
20590010	HandControl HB80	pce		
3124665	Extension Cable HB80	pce		
3124655 3124656 3124657	Control Box CB08 EU Control Box CB08 UK Control Box CB08 US	pce pce pce		





Rail System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Traverse Rail Carrier				
3102513	Traverse Rail Carrier, slim	pair		
3102511	Traverse Rail Carrier, standard	pair		
3102512	Traverse Rail Carrier, wide	pair		
3102518	Traverse Rail Carrier, extra wide	pair		
3102561	Traverse Rail Carrier, parallel/standard	pair		
3102514	Traverse Rail Carrier, raised/slim	pair		
3102515	Traverse Rail Carrier, raised/standard	pair		
3102556	Traverse Rail Carrier, raised/wide	pair		
3102506	Traverse Rail Carrier raised/wide with cable entry	pair		
All the above raise the secondary rail ca. 100 mm (4 in).				
3102516	Traverse Rail Carrier, lowered/slim	pair		
3102517	Traverse Rail Carrier, lowered/standard	pair		
3102509	Traverse Rail Carrier, wide/lowered, with cable entry	pair		
All the above lower the secondary rail ca. 100 mm (4 in).				
3102519	Traverse Rail Carrier Lowers the secondary rail ca. 30 mm (1.2 in).	pair		
3102531	Traverse Rail Carrier, raised/standard	pair		
3102532	Traverse Rail Carrier, raised, wide	pair		
Both the above raise the secondary rail ca. 70 mm (2.8 in). Use in combination with FreeSpan Traverse.				
Traverse Carrier Multi				
3102520	Traverse Carrier Multi, standard Incl. 1 pce Traverse Rail Carrier, standard. Fits Likorall ES.	set		
3102521	Traverse Carrier Multi, wide Incl. 1 pce Traverse Rail Carrier, wide. Fits Likorall ES.	set		
3102522	Traverse Carrier Multi, wide/raised Incl. 1 pce Traverse Rail Carrier, wide/raised. Raises the secondary rail ca. 100 mm (4 in). Fits Likorall ES.	set		
3102523	Traverse Carrier Multi, wide/lowered Incl. 1 pce Traverse Rail Carrier, wide/lowered. Lowers the secondary rail ca. 100 mm (4 in). Fits Likorall ES.	set		
3126046	Transfer Motor Traverse Incl. 1 pce Traverse Rail Carrier, wide. Fits Likorall 242 S/ES/R2R, Likorall 243 ES and Likorall 250 ES.	set		









Freestanding Lift System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
FreeSpan™ Straight Rail				
Product specification for a complete product: FreeSpan Rail (Prod. No. 3103115 - 50 / 3103215 - 50) FreeSpan Side Support (Prod. No. 3103512) Likorall / Multirall Hand control Charger Sling bar / stretcher Sling For choice of sling bar and other accessories, see page 41-61.			 The maximum load can be between 200 kg (440 lbs) and 250 kg (550 lbs) depending on the length of the rail being used, see below.	
3103115 3103120 3103125 3103130 3103135 3103140 3103145 3103150	FreeSpan Rail, 1,5 m (60 in), max 250 kg (550 lbs) FreeSpan Rail, 2,0 m (79 in), max 250 kg (550 lbs) FreeSpan Rail, 2,5 m (98 in), max 250 kg (550 lbs) FreeSpan Rail, 3,0 m (118 in), max 250 kg (550 lbs) FreeSpan Rail, 3,5 m (138 in), max 250 kg (550 lbs) FreeSpan Rail, 4,0 m (158 in), max 230 kg (507 lbs) FreeSpan Rail, 4,5 m (177 in), max 200 kg (440 lbs) FreeSpan Rail, 5,0 m (197 in), max 200 kg (440 lbs)	pce pce pce pce pce pce pce pce		
Carriage for Likorall (Prod. No. 3126011) is included in all of the above products.				
3103215 3103220 3103225 3103230 3103235 3103240 3103245 3103250	FreeSpan Rail, 1,5 m (59 in), max 250 kg (550 lbs) FreeSpan Rail, 2,0 m (79 in), max 250 kg (550 lbs) FreeSpan Rail, 2,5 m (98 in), max 250 kg (550 lbs) FreeSpan Rail, 3,0 m (118 in), max 250 kg (550 lbs) FreeSpan Rail, 3,5 m (138 in), max 250 kg (550 lbs) FreeSpan Rail, 4,0 m (158 in), max 230 kg (507 lbs) FreeSpan Rail, 4,5 m (177 in), max 200 kg (440 lbs) FreeSpan Rail, 5,0 m (197 in), max 200 kg (440 lbs)	pce pce pce pce pce pce pce pce		
Carriage hook for MR/LR (Prod. No. 3136015) is included in all of the above products.				
3103512	FreeSpan Side Support Including wheels, charger plate (Fits charger Prod. No. 3126101-3126104) and parking bracket for sling bar, (rail is not included).	pair		






Freestanding Lift System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
FreeSpan™ Traverse				
Product specification for a complete product: FreeSpan Rail (Prod. No. 3103115-50 / 3103215-50) x 2 FreeSpan Upright Support (Prod. No. 3103515) FreeSpan Cross-beam (Prod. No. 3103020-3103040) Straight Rail H70, H100 or H140, depending on cc-distance between the FreeSpan rails. End-stop (Prod. No. 3101060) Traverse Rail Carrier (3102531-3102532) Parking Bracket FS Traverse (Prod. No. 3103502) (fits charger Prod. No. 3126101-3126104) Likorall/Multirall Hand control Sling bar / stretcher Charger Sling For choice of lifting accessories, see page 41-61.			 Maximum load may vary between 200 kg (440 lbs) and 250 kg (550 lbs) depending on the length of the rail being used, see page 36.	
FreeSpan UltraTwin™ Traverse				
Product specification for a complete product: FreeSpan Rail (Prod. No. 3103115-3103135) x 2 FreeSpan Upright Support (Prod. No. 3103515) FreeSpan Cross-beam (Prod. No. 3103020-3103040) Straight Rail H70, H100 or H140, depending on cc-distance between the FreeSpan rails. End-stop (Prod. No. 3101060) x 2 Traverse Rail Carrier (3102531-3102532) x 2 Ultra Traverse Damper (Prod. No. 3103604) Parking Bracket FS Traverse (Prod. No. 3103502) x 2, (fits charger Prod. No. 3126101-3126104) Likorall x 2 Hand control x 2 Sling bar x 2 / stretcher Charger x 2 Sling For choice of lifting accessories, see page 41-61.			 Max. load 460 kg (1014 lbs)	
3103515	FreeSpan Upright Support, 4 pcs Incl. screw set (8 pcs) for cross-beam.	set		
3103020 3103030 3103040	FreeSpan Cross-beam, 2,0 m (79 in) FreeSpan Cross-beam, 3,0 m (118 in) FreeSpan Cross-beam, 4,0 m (158 in)	pair pair pair		
3103502	Parking Bracket and Bracket for Charger FS Traverse Fits charger Prod. No. 3126101-3126104.	pce		
3103604	Ultra Traverse Damper, 2 pcs Incl. max. load decal 460 kg (1014 lbs). Fits FreeSpan UltraTwin Traverse.	set		






Freestanding Lift System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
FreeSpan™ UltraTwin™				
Product specification for a complete product (cc 300): FreeSpan Rail (Prod. No. 3103115-3103150) x 2 UltraTwin Upright Support (Prod. No. 3103520) Likorall x 2 Hand control x 2 / Ultra Control Unit Sling bar x 2 / Ultra SlingBar Charger x 2 / Charger x 1 (when using Ultra Control Unit) Sling For choice of lifting accessories, see page 41-61. CC-distance 300 mm (12 in).			 Maximum load may vary between 400 kg (880 lbs) and 500 kg (1100 lbs) depending on the length of the rail being used, see page 36.	
3103520	UltraTwin FreeSpan Upright Support Incl. wheels, charger plate (fits charger Prod. No. 3126101-3126104) and parking bracket for sling bar. CC-distance 300 mm (12 in).	pair		
3103603	Ultra SlingBar Max 460 kg (1014 lbs). CC-distance 300 mm (12 in).	pce		
3126040	Ultra Control Unit. Incl. hand control. Fits Likorall ES and rails with CC-distance 300 mm (12 in).	set		
Product specification for a complete product (cc 800): FreeSpan Rail (Prod. No. 3103115-3103150) x 2 UltraTwin Upright Support (Prod. No. 3103521) Likorall x 2 Hand control x 2 UltraStretch (Prod. No. 3156058) Sling bar x 2 Charger x 2 Lift sheet/lift strap/sling For choice of sling bars and other lifting accessories, see page 41-61. CC-distance 800 mm (32 in).			 Maximum load may vary between 400 kg (880 lbs) and 500 kg (1100 lbs) depending on the length of the rail being used, see page 36.	
3103521	UltraTwin FreeSpan Upright Support, wide Including wheels, charger plate (fits charger Prod. No. 3126101-3126104) and parking bracket for sling bar. CC-distance 800 mm (32 in).	pair		
NOTE! UltraTwist must be assembled by authorized technician.				
3126045	UltraTwist™ Slim Incl. hand control. Max 500 kg (1100 lbs).	set		
3126047	UltraTwist™ Wide Incl. hand control. Max 500 kg (1100 lbs). Both UltraTwist models fits Likorall ES and rails with CC-distance 500 mm (20 in)*. *On request only.	set		



Freestanding Lift System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
FreeStand™				
Product specification for a complete product: Rail H100, max 3.2 m (126 in) FreeStand Upright Support, Prod. No. 3104001. FreeStand Parking Set (Prod. No. 3104002) Carriage Likorall/Multirall Charger Hand control Sling bar/stretcher Sling For choice of sling bars and other lifting accessories, see page 41-61.			 Max. load 200 kg (440 lbs).	
3104001	FreeStand Upright Support Max 200 kg (440 lbs).	set		
3104002	FreeStand Parking Set Incl. parking bracket with adhesive tape for attachment.	set		



Curtain System				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
FreeSpirit™ E-system				
3101701	Pendant 90-130, E-system	pce		
3101711	Pendant Plate 90, E-system	pce		
3101704 3101705	Traverse Rail Carrier E-system, standard Traverse Rail Carrier E-system, wide	pair pair		
FreeSpirit™ T-system				
3101820 3101825 3101830	Curtain Rail T, 2,0 m (79 in) Curtain Rail T, 2,5 m (98 in) Curtain Rail T, 3,0 m (118 in) Incl. draw-stick, relief string and curtain hooks.	pce pce pce		
3101801	Curtain Bracket T 300 mm (12 in)	pce		
3101802 3101803 3101804 3101805 3101806	Pendant T, adjustable 300-550 mm (12-22 in) Pendant T, adjustable 500-750 mm (22-30 in) Pendant T, adjustable 700-950 mm (28-37 in) Pendant T, adjustable 900-1150 mm (35-45 in) Pendant T, adjustable 1100-1350 mm (43-53 in)	set set set set set		





Lifting Accessories				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
For choice of correct accessories, read the Instruction Guide for the lift being used or contact your Hill-Rom representative.				
3156074	Universal SlingBar™ 350 Max 300 kg (660 lbs).	pce		
3156075	Universal SlingBar™ 450 Max 300 kg (660 lbs).	pce		
3156076	Universal SlingBar™ 600 Max 300 kg (660 lbs).	pce		
3156077	Universal TwinBar™ 670 Max 300 kg (660 lbs)	pce		
3156005	SlingBar Mini 220 Max 205 kg (450 lbs).	pce		
3156084	Universal SlingBar 350 with Quick-release Hook™ Max 300 kg (660 lbs).	pce		
3156085	Universal SlingBar 450 with Quick-release Hook™ Max 300 kg (660 lbs).	pce		
3156086	Universal SlingBar 600 with Quick-release Hook™ Max 300 kg (660 lbs).	pce		
3156087	Universal TwinBar 670 with Quick-release Hook™ Max 300 kg (660 lbs).	pce		
3156021	Sling Cross-bar 450 Replaces Sling Cross-bar, Prod. No. 3156010. Max 300 kg (660 lbs).	pce		
3156018	Sling Cross-bar 670 Max 300 kg (660 lbs).	pce		
3156022	Sling Cross-bar 450 with Quick-release Hook™ Max 300 kg (660 lbs).	pce		


Lifting Accessories				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
3156019	Sling Cross-bar 670 with Quick-release Hook™ Max 300 kg (660 lbs).	pce		
3156079	Universal SideBars™ 450 Incl. storage bag. Fits Universal SlingBar 350, 450 and 600. Max 300 kg (660 lbs). (The Universal SlingBar in the picture is not included).	pair		
2001025	Bag for SlingBars	pce		
3607001	SlingBar Cover Paddy™ 30 Fits Universal SlingBar 350, 450 and 600, SlingBar Slim 350 and SlingBar Liko 450.	pce		
3607002	SlingBar Cover Paddy™ 40 Fits SlingBar Standard 450 and SlingGuard 450.	pce		
3156511	Support Springs, long, 28 cm (11 in) Max 70 kg (154 lbs)/pair	pair		
3156512	Support Springs, short, 22 cm (9 in) Max 70 kg (154 lbs)/pair	pair		
3156513	Support Springs, short, 22 cm (9 in) Max 100 kg (220 lbs)/pair	pair		
3101590	Activity Carriage™ Incl. extension arm. Max 100 kg (220 lbs). To be used in a ceiling installed rail system.	set		
3101595	Extension Arm for Locking Nut Length: 1 m (39 in). Fits Activity Carriage and lockable end stops.	pce		




Lifting Accessories					
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW		
For advice and guidance regarding the Quick-release Hook system's compatibility with other Liko products, we refer to the latest version of the document "Guide to Liko's Quick-release Hook System", contact your Hill-Rom representative.					
3156228	LikoScale™ 350 Approved according to NAWI (Non-Automatic Weighing Instruments). Only reports weight in kg. Max 400 kg.	pce			
3156225	LikoScale™ 200 Reports weight in either kg or lbs. Max 200 kg (440 lbs). Only available in the United States and Canada	pce			
3156226	LikoScale™ 400 Reports weight in either kg or lbs. Max 400 kg (880 lbs). Only available in the United States and Canada	pce			
3156232	Adapter Kit LikoScale Consists of Quick-release Hook Universal, Adapter 8 mm and Q-link 13. Scale is not included. Max 300 kg (660 lbs).	set			
2016502	Adapter 8 mm Fits Uno with serial no. up to 31825. Max 300 kg (660 lbs).	pce			
2016504	Adapter 12 mm Fits Uno with serial no. from 31825, LikoLight and the Viking range. Max 300 kg (660 lbs).	pce			
3156502	Quick-release Hook TDM™ Max 300 kg (660 lbs).	pce			
3156503	Quick-release UniHook™ for Standard SlingBar 450 Max 300 kg (660 lbs).	pce			
3156508	Quick-release Hook Universal™ Max 300 kg (660 lbs).	pce			
3156505	Adapter 22 for Quick-release Hook™ Fits Liko MasterLift from -89 and Likorall.	pce			
31590005	Q-link™ Fits Golvo and Likorall R2R. Max 250 kg (550 lbs)	pce			
3156509	Q-link™ 13 Fits Uno, LikoLight, Viking, LikoScale. Max 300 kg (660 lbs).	pce			








Slings for Children				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
For bigger sizes, see "Slings for Adults", page. 48-55.				
TeddySling Original™ / Liko OriginalSling™, Mod. 10				
3510863	warp knitted polyester, reinforced back- and leg supports, with belt, XS	pce		
3510864	warp knitted polyester, reinforced back- and leg supports, with belt, S	pce		
3510104	polyester, with belt, S	pce		
3510114	polyester, reinforced leg supports, S	pce		
3510603	net polyester, with belt, XS	pce		
3510304	net polyester, with belt, S	pce		
3510404	plastic coated net (bath), with belt, S	pce		
Liko Original HighBack Sling™, Mod. 200				
35200103	polyester, with belt, XS	pce		
35200104	polyester, with belt, S	pce		
35200113	polyester, reinforced leg supports, with belt, XS	pce		
35200114	polyester, reinforced leg supports, with belt, S	pce		
35200124	polyester, padded leg support, with belt, S	pce		
35200303	net polyester, with belt, XS	pce		
35200304	net polyester, with belt, S	pce		
35200313	net polyester, reinforced leg supports, with belt, XS	pce		
35200314	net polyester, reinforced leg supports, with belt, S	pce		
35200403	plastic coated net (bath), with belt, XS	pce		
35200404	plastic coated net (bath), with belt, S	pce		

Slings for Children				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
TeddySling Soft Original™, Mod. 26				
3526813	warp knitted polyester, reinforced head-and leg supports, with belt, XS	pce		
3526814	warp knitted polyester, reinforced head-and leg supports, with belt, S	pce		
Liko SilhouetteSling™, Mod. 22				
3522603	net polyester, XS	pce		
3522604	net polyester, S	pce		

Slings for Children				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Teddy HygieneSling™ / Liko HygieneSling™, Mod. 41				
3541813 3541133	warp knitted polyester, reinforced leg supports, with belt, XS polyester, reinforced leg supports, with belt, XS	pce pce		
Teddy Hygiene SafetySling™, Mod. 46				
3546813	warp knitted polyester, reinforced leg supports, XS Incl. 2 pcs Loop Clips.	pce		
Teddy HygieneVest™ / Liko HygieneVest™, Mod. 50				
3550812 3550813 3550113	warp knitted polyester, reinforced leg supports, XXS warp knitted polyester, reinforced leg supports, XS polyester, reinforced leg supports, XS Incl. 2 pcs Loop Clips.	pce pce pce		
Teddy HygieneVest HighBack™ / Liko HygieneVest HighBack™, Mod. 55				
3555812 3555813 3555112 3555113	warp knitted polyester, reinforced leg supports, XXS warp knitted polyester, reinforced leg supports, XS polyester, reinforced leg supports, XXS polyester, reinforced leg supports, XS Incl. 2 pcs Loop Clips.	pce pce pce pce		







Slings for Children				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
TeddyVest™ / Liko MasterVest™, Mod. 60				
3560812	warp knitted polyester, XXS	pce		
3560813	warp knitted polyester, XS	pce		
3560113	polyester, XS Incl. 2 pcs Loop Clips.	pce		
TeddyVest™ front closure, Mod. 64				
3564813	warp knitted polyester, XS Incl. 2 pcs Loop Clips.	pce		
Leg Harness MasterVest, Mod. 66				
3666004	Liko green, XXS, XS, S	pair		
TeddyPants™, Mod. 92				
3592823	warp knitted polyester, padded, XS Incl. 2 pcs Loop Clips.	pce		





Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
For smaller sizes, see "Slings for Children", page 44-47.				
Liko UniversalSling™, Mod. 000				
35000114	polyester, reinforced leg supports, S	pce		
35000111	polyester, reinforced leg supports, M-Slim	pce		
35000115	polyester, reinforced leg supports, M	pce		
35000116	polyester, reinforced leg supports, L	pce		
35000117	polyester, reinforced leg supports, XL, max 300 kg (660 lbs)	pce		
35000124	polyester, padded leg supports, S	pce		
35000125	polyester, padded leg supports, M	pce		
35000126	polyester, padded leg supports, L	pce		
35000304	net polyester, S	pce		
35000305	net polyester, M	pce		
35000306	net polyester, L	pce		
35000314	net polyester, reinforced leg supports, S	pce		
35000311	net polyester, reinforced leg supports, M-Slim	pce		
35000315	net polyester, reinforced leg supports, M	pce		
35000316	net polyester, reinforced leg supports, L	pce		
35000317	net polyester, reinforced leg supports, XL, max 300 kg (660 lbs)	pce		
35000404	plastic coated net (bath), S	pce		
35000405	plastic coated net (bath), M	pce		
35000406	plastic coated net (bath), L	pce		
35000407	plastic coated net (bath), XL, max 300 kg (660 lbs)	pce		
Liko Universal HighLevel Sling™, Mod. 002				
35002115	polyester, reinforced leg supports, M	pce		
35002116	polyester, reinforced leg supports, L	pce		
Liko UltraSling™, Mod. 06				
3506114	polyester, reinforced leg supports, short, max 500 kg (1100 lbs)	pce		
3506115	polyester, reinforced leg supports, regular, max 500 kg (1100 lbs)	pce		
3506116	polyester, reinforced leg supports, long, max 500 kg (1100 lbs)	pce		
3506315	net polyester, reinforced leg supports, regular, max 500 kg (1100 lbs)	pce		





Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Liko OriginalSling™, Mod. 10/11				
3511105 3510105 3510106 3510107	polyester, M-Slim (slim adult) polyester, M polyester, L polyester, XL, max 300 kg (660 lbs)	pce pce pce pce		
3511115 3510115 3510116 3510117	polyester, reinforced leg supports, M-Slim (slim adult) polyester, reinforced leg supports, M polyester, reinforced leg supports, L polyester, reinforced leg supports, XL, max 300 kg (660 lbs)	pce pce pce pce		
3511125 3510125 3510126 3510127	polyester, padded leg supports, M-Slim (slim adult) polyester, padded leg supports, M polyester, padded leg supports, L polyester, padded leg supports, XL, max 300 kg (660 lbs)	pce pce pce pce		
3511165 3510165 3510166	polyester, reinforced back- and leg supports, M-Slim (slim adult) polyester, reinforced back- and leg supports, M polyester, reinforced back- and leg supports, L	pce pce pce		
3511305 3510305 3510306 3510307	net polyester, M-Slim (slim adult) net polyester, M net polyester, L net polyester, XL	pce pce pce pce		
3511315 3510315 3510316	net polyester, reinforced leg supports, M-Slim (slim adult) net polyester, reinforced leg supports, M net polyester, reinforced leg supports, L	pce pce pce		
3511405 3510405 3510406	plastic coated net (bath), M-Slim (slim adult) plastic coated net (bath), M plastic coated net (bath), L	pce pce pce		

Some of the slings may be special made in other material/design. Contact your Hill-Rom representative for more information and price.
All of Liko's accessories and slings are approved for a maximum load of 200 kg (440 lbs) if nothing else is described.





Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Liko Original HighBack Sling™, Mod. 200/210				
35210105 35200105 35200106 35200107	polyester, M-Slim (slim adult) polyester, M polyester, L polyester, XL, max 500 kg (1100 lbs)	pce pce pce pce		
35210115 35200115 35200116 35200117	polyester, reinforced leg supports, M-Slim (slim adult) polyester, reinforced leg supports, M polyester, reinforced leg supports, L polyester, reinforced leg supports, XL, max 500 kg (1100 lbs)	pce pce pce pce		
35210125 35200125 35200126 35200127	polyester, padded leg supports, M-Slim (slim adult) polyester, padded leg supports, M polyester, padded leg supports, L polyester, padded leg supports, XL, max 500 kg (1100 lbs)	pce pce pce pce		
35210305 35200305 35200306 35200307	net polyester, M-Slim (slim adult) net polyester, M net polyester, L net polyester, XL, max 500 kg (1100 lbs)	pce pce pce pce		
35210315 35200315 35200316 35200317	net polyester, reinforced leg supports, M-Slim (slim adult) net polyester, reinforced leg supports, M net polyester, reinforced leg supports, L net polyester, reinforced leg supports, XL, max 500 kg (1100 lbs)	pce pce pce pce		
35210405 35200405 35200406 35200407 35200418	plastic coated net (bath), M-Slim (slim adult) plastic coated net (bath), M plastic coated net (bath), L plastic coated net (bath), XL, max 500 kg (1100 lbs) plastic coated net (bath), reinforced leg supports, XXL, max 500 kg (1100 lbs)	pce pce pce pce pce		
35200505 35200506	plastic coated fabric, M plastic coated fabric, L	pce pce		
31590006	Lath, 43 cm (17 in)	pce		
31590007	Lath, 62 cm (24 in)	pce		




Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Liko SilhouetteSling™, Mod. 22				
3522605	net polyester, M (slim adult)	pce		
3522306	net polyester, L	pce		
		pce		
Liko Soft Original HighBack Sling™, Mod. 26				
3526111	polyester, reinforced leg- and back supports, M-Slim	pce		
3526115	polyester, reinforced leg- and back supports, M	pce		
3526116	polyester, reinforced leg- and back supports, L	pce		
3526117	polyester, reinforced leg- and back supports, XL, max 500 kg (1100 lbs)	pce		
3526118	polyester, reinforced leg- and back supports, XXL, max 500 kg (1100 lbs), (replaces Prod. No. 3520118)	pce		
Liko ComfortSling Plus™, Mod. 300				
35300304	net polyester, S	pce		
35300305	net polyester, M	pce		
35300306	net polyester, L	pce		
35300307	net polyester, XL, max 300 kg (660 lbs)	pce		
35300325	net polyester, padded seat, M	pce		
Liko ComfortSling Plus™ with Hygiene Opening, Mod. 310				
35310305	net polyester, M	pce		
35310306	net polyester, L	pce		
35310307	net polyester, XL, max 300 kg (660 lbs)	pce		
35310405	plastic coated net, M	pce		
Liko ComfortSling Plus High™, Mod. 350				
35350304	net polyester, S	pce		
35350305	net polyester, M	pce		
35350306	net polyester, L	pce		
35350307	net polyester, XL, max 300 kg (660 lbs)	pce		
35350325	net polyester, padded seat, M	pce		
Liko ComfortSling Plus High™ with Hygiene Opening, Mod. 360				
35360305	net polyester, M	pce		
35360306	net polyester, L	pce		
35360307	net polyester, XL, max 300 kg (660 lbs)	pce		
35360405	plastic coated net (bath), M	pce		





Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Liko HygieneSling™, Mod. 40				
3540134 3540135 3540136	polyester, reinforced leg supports, S polyester, reinforced leg supports, M polyester, reinforced leg supports, L	pce pce pce		
Liko HygieneSling™ with Belt, Mod. 41				
3541134 3541135 3541136 3541137	polyester, reinforced leg supports, S polyester, reinforced leg supports, M polyester, reinforced leg supports, L polyester, reinforced leg supports, XL, max 300 kg (660 lbs)	pce pce pce pce		
Liko HygieneSling with SafetyBelt™, Mod. 45				
3545134 3545135 3545136 3545137	polyester, reinforced leg supports, S polyester, reinforced leg supports, M polyester, reinforced leg supports, L polyester, reinforced leg supports, XL, max 300 kg (660 lbs) Incl. 2 pcs Loop Clips.	pce pce pce pce		
Liko Hygiene SafetySling™, Mod. 46				
3546134 3546135 3546136	polyester, reinforced leg supports, S polyester, reinforced leg supports, M polyester, reinforced leg supports, L Incl. 2 pcs Loop Clips.	pce pce pce		



Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Liko HygieneVest™, Mod. 50				
3550114 3550115 3550116 3550117 3550118 3550119	polyester, reinforced leg supports, S polyester, reinforced leg supports, M polyester, reinforced leg supports, L polyester, reinforced leg supports, XL, max 300 kg (660 lbs) polyester, reinforced leg supports, XXL, max 300 kg (660 lbs) polyester, reinforced leg supports, XXXL, max 300 kg (660 lbs)	pce pce pce pce pce pce		
Incl. 2 pcs Loop Clips.				
Liko HygieneVest HighBack™, Mod. 55				
3555114 3555115 3555116 3555117	polyester, reinforced leg supports, S polyester, reinforced leg supports, M polyester, reinforced leg supports, L polyester, reinforced leg supports, XL	pce pce pce pce		
Incl. 2 pcs Loop Clips.				
Liko MasterVest™, Mod. 60				
3560114 3560115 3560116 3560117 3560118 3560414 3560415 3560416	polyester, S polyester, M polyester, L polyester, XL, max 300 kg (660 lbs) polyester, XXL, max 300 kg (660 lbs) plastic coated net, S plastic coated net, M plastic coated net, L	pce pce pce pce pce		
Incl. 2 pcs Loop Clips.				
Liko MasterVest™, front closure, Mod. 64				
3564114 3564115 3564116 3564117 3564118 3564415 3564416 3564417	polyester, S polyester, M polyester, L polyester, XL polyester, XXL plastic coated net, M plastic coated net, L plastic coated net, XL	pce pce pce		
Incl. 2 pcs Loop Clips.				










Some of the slings may be special made in other material/design. Contact your Hill-Rom representative for more information and price.
All of Liko's accessories and slings are approved for a maximum load of 200 kg (440 lbs) if nothing else is described.

Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Leg Harness MasterVest, Mod. 66				
3666004	Liko green, XXS, XS, S	pce		
3666005	Liko green, M, L	pce		
3666006	Liko green, XL	pce		
3666008	dark green, M, L	pce		
3666009	dark green, XL	pce		
Liko AmputeeSling™, Mod. 70				
3570114	polyester, reinforced leg supports, S	pce		
3570115	polyester, reinforced leg supports, M	pce		
3570116	polyester, reinforced leg supports, L	pce		
3570314	net polyester, reinforced leg supports, S	pce		
3570315	net polyester, reinforced leg supports, M	pce		
3570316	net polyester, reinforced leg supports, L	pce		
Liko Amputee HighBack Sling™, Mod. 75				
3575114	polyester, reinforced leg supports, S	pce		
3575115	polyester, reinforced leg supports, M	pce		
3575116	polyester, reinforced leg supports, L	pce		
3575117	polyester, reinforced leg supports, XL, max 300 kg (660 lbs)	pce		
3575315	net polyester, reinforced leg supports, M	pce		
Liko LiftPants™, Mod. 92				
3592324	net polyester, padded, S	pce		
3592325	net polyester, padded, M	pce		
3592326	net polyester, padded, L	pce		
3592327	net polyester, padded, XL, max 500 kg (1100 lbs)	pce		
Incl. 2 pcs Loop Clips.				






Slings for Adults				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Ultra LiftPants™, Mod. 920				
35920328	net polyester, XXL, max 500 kg (1100 lbs)	pce		
35920329	net polyester, XXXL, max 500 kg (1100 lbs)	pce		
	Incl. 2 pcs Loop Clips.			
3692908-2	Solo Cover for Ultra LiftPants™, XXL/XXXL, 2x10 pcs	box		
	Nonwoven material. Not washable.			
Solo HighBack Sling™, Mod. 25				
3525911-2	M-Slim (slim adult), 2x10 pcs	box		
3525915-2	M, 2x10 pcs	box		
3525916-2	L, 2x10 pcs	box		
3525917-2	XL, 2x4 pcs, max 500 kg (1100 lbs)	box		
	Nonwoven material. Not washable.			






Accessories for Slings				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
3590115	Liko Straps, polyester, reinforced 115/133 cm (45/52 in). Max 200 kg (440 lbs)/pair.	pair		
3651115	Head Support, polyester, incl. 2 pcs Loop Clips Max 50 kg (110 lbs).	pce		
3691102 3691103 3691302 3691303	Extension Loop, green, 12 cm (5 in) Extension Loop, green, 22 cm (9 in) Extension Loop, grey, 12 cm (5 in) Extension Loop, grey, 22 cm (9 in) Max 150 kg (330 lbs)/pce.	pce pce pce pce		
3666021	Padded Case for Shoulder Strap	pair		
36660501	Padded Case for Leg Support Fits slings with the following Prod. No.: 3510603, 3510863	pair		
36660502	3510104, 3510114, 3510304, 3510864, 3511105, 3511115, 3511165, 3511305, 3511315, 3526814, 35200104, 35200114, 35200304, 35200314	pair		
36660503	3510105, 3510115, 3510165, 3510305, 3510315, 3522605, 3526111, 35000111, 35000114, 5000115, 35000304, 35000305, 35000311, 35000314, 35000315, 35002115, 35210105, 35210115, 35210305, 35210315	pair		
36660504	3510106, 3510107, 3510116, 3510117, 3510166, 3510306, 3510307, 3510316, 3526115, 3526116, 3526117, 35000116, 35000117, 35000306, 35000316, 35000317 35002116, 35200105, 35200106, 35200107, 35200115, 35200116, 35200117, 35200305, 35200306, 35200307, 35200315, 35200316, 35200317	pair		
36660505	3570114, 3570115, 3570116, 3570314, 3570315, 3570316, 3575115, 3575116, 3575315	pair		
36660506	3550113, 3550813, 3555113, 3555813	pair		
36660507	3540134, 3540135, 3540136, 3541134, 3541135, 3541136, 3541137, 3545134, 3545135, 3545136, 3545137, 3546134, 3546135, 3546136, 3550114, 3550115, 3550116, 3550117, 3555114, 3555115, 3555116, 3555117	pair		




Accessories for Slings				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
31590006	Lath, 43 cm (17 in)	pce		
31590007	Lath, 62 cm (24 in)	pce		
3666033 3666034 3666035 3666036 3666037	Loop Clips, red, 4 pcs Loop Clips, orange, 4 pcs Loop Clips, yellow, 4 pcs Loop Clips, blue, 4 pcs Loop Clips, black, 4 pcs	set set set set set		
3610100SVFI 3610100NODK 3610100ENES 3610100DEFR 3610100FRNL 3610100ITPT 3610100JPEN	Quick Reference Guide Liko Slings - Basic Models Swedish/Finnish Norwegian/Danish English/Spanish German/French French/Dutch Italian/Portuguese Japanese/English	pce pce pce pce pce pce pce		
Miscellaneous				
3650001	Fabric swatch, 5 pcs	set		

Liko Stretchers				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
Liko OctoStretch™				
3156055	OctoStretch	pce		
3156056	OctoStretch with Stretch Leveller	pce		
3683105	LiftSheet Octo, polyester, M, 160x50 cm (63x20 in)	pce		
3683106	LiftSheet Octo, polyester, L, 170x90 cm (67x35 in)	pce		
3683405	LiftSheet Octo, plastic coated net, M, 160x50 cm (63x20 in)	pce		
3683406	LiftSheet Octo, plastic coated net, L, 170x90 cm (67x35 in)	pce		
3683905-4	Solo Octo LiftSheet, M, 160x50 cm (63x20 in), 4x10 pcs	box		
3683906-4	Solo Octo LiftSheet, L, 170x90 cm (67x35 in), 4x10 pcs	box		
	Nonwoven material. Not washable.			
3683102	LiftStrap Octo, polyester	pce		
3683402	LiftStrap Octo, plastic coated net	pce		
3683112	LiftStrap Octo, polyester, reinforced	pce		
	Plastic reinforcement not included.			
3683114	Cross Strap Octo, polyester, reinforced	pce		
	Plastic reinforcement not included.			
3683062	Plastic Reinforcement 200	pce		
	Fits Prod. No. 3683112 and 3683114.			
LikoStretch 1900™				
3156051	LikoStretch 1900	pce		
	Width: 77 cm (30 in).			
	Max 250 kg (550 lbs).			
3685704	LiftSheet 1900, 2-piece, cotton/polyester	set		
	Length: 108/35 cm (43/14 in).			
	Max 250 kg (550 lbs)/set.			
3685705	LiftSheet 1900, cotton/polyester	pce		
	Max 250 kg (550 lbs).			
3685905	Solo LiftSheet 1900, 10 pcs	set		
	Max 250 kg (550 lbs).			
	Nonwoven material. Not washable.			




Some of the slings may be special made in other material/design. Contact your Hill-Rom representative for more information and price.
All of Liko's accessories and slings are approved for a maximum load of 200 kg (440 lbs) if nothing else is described.


Liko Stretchers				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
LikoStretch Mod 600 IC™				
Product specification for a complete product: LikoStretch Mod 600 IC (Prod. No. 3156065 or 3156065B) SideRails 600 (Prod. No. 3166506) Straps Mod 600 IC (Prod. No. 3684001) Spatula Mod 600 IC (Prod. No. 3684002).				
3156065 3156065B	LikoStretch Mod 600 IC, std: 70 cm (28 in) LikoStretch Mod 600 IC, wide: 80 cm (32 in) Fits LiftSheet and SideRails 800 or 1800. Max 250 kg (550 lbs).	pce pce		
3684001	Straps Mod 600 IC, 8 pcs Max 250 kg (550 lbs)/set.	set		
3684002	Spatula Mod 600 IC	pce		
3682504 3682508 3682509	LiftSheet 800, std: 80 cm (32 in), plastic coated fabric LiftSheet 1800, wide: 90 cm (35 in), plastic coated fabric LiftSheet 1800, std: 80 cm (32 in), plastic coated fabric SideRails not included. Max 250 kg (550 lbs).	pce pce pce		
3682908-2	Solo LiftSheet 1800, wide: 90 cm (35 in), 2x10 pcs SideRails not included. Max 200 kg (440 lbs) Nonwoven material. Not washable.	box		
3166506	SideRails 600 IC Max 250 kg (550 lbs).	pair		
3166508 3166518	SideRails 800 SideRails 1800 Max 250 kg (550 lbs)	pair pair		


Liko Stretchers				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
Liko FlexoStretch™ and UltraStretch™				
3156057	FlexoStretch One point of attachment, Stretch Leveller included. Fits Viking L and Viking XL, Golvo, Likorall, Multirall and Liko MasterLift. Max 300 kg (660 lbs).	pce		
3156058	UltraStretch Two points of attachment. Fits Liko UltraTwin. Max 400 kg (880 lbs).	pce		
3684105 3684106	LiftSheet XL, Regular, polyester, length 165 cm (65 in) LiftSheet XL, Tall, polyester, length 185 cm (73 in) Fits FlexoStretch and UltraStretch. Max 400 kg (880 lbs).	pce pce		
3684100	LiftStrap XL, polyester A set consists of 5 straps; 2 pcs XL80 + 3 pcs XL100. Fits FlexoStretch and UltraStretch. Max 400 kg (880 lbs)/set.	set		
3684101 3684102	LiftStrap XL80, polyester LiftStrap XL100, polyester Fits FlexoStretch and UltraStretch.	pce		
Liko Stretchers - Miscellaneous				
3156200	Stretch Leveller™ Fits Mod 600 IC, Prod. No. 3156065 and 3156065B and OctoStretch, Prod. No. 3156055. Max 300 kg (660 lbs).	pce pce pce pce		
3156026	Rigor Stretcher Max 150 kg (330 lbs).	pce		

RepoSheet™, MultiStrap™				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
RepoSheet™ Original				
3687701 3687702 3687301 3687302	RepoSheet Original Regular, cotton/polyester RepoSheet Original Ultra, cotton/polyester, max 500 kg (1100 lbs). RepoSheet Original Regular, net polyester RepoSheet Original Ultra, net polyester, max 500 kg (1100 lbs).	pce pce pce pce		
36871003-2 36871004	Solo RepoSheet Short, 180x110 cm (71x43 in.), 2x10 pcs, max 200 kg (440 lbs). Solo RepoSheet Generous, 215x130 cm (85x51 in.), 8 pcs, max 300 kg (660 lbs). Not washable.	box set		
MultiStrap™				
3695115	MultiStrap Standard, polyester, width 10 cm (3.9 in) including 2 pcs FixStrap (Prod. No. 3696001).	pce		
3695116	MultiStrap Wide, polyester, width 25 cm (9.8 in) including 2 pcs FixStrap (Prod. No. 3696001).	pce		
3695117	MultiStrap Ultra, polyester, width 40 cm (15.7 in) including 2 pcs FixStrap (Prod. No. 3696001).	pce		
3695914-2	Solo MultiStrap Narrow, width 5 cm (2.0 in), 2x10 pcs Nonwoven material. Not washable.	box		
3695915-2	Solo MultiStrap Standard, width 10 cm (3.9 in), 2x10 pcs Nonwoven material. Not washable.	box		
3695916-2	Solo MultiStrap Wide, width 25 cm (9.8 in), 2x10 pcs Nonwoven material. Not washable.	box		
3696001 3696001-10	FixStrap 135 cm (53 in) FixStrap 135 cm (53 in), 10 pcs Accessory to MultiStrap, all models.	pce set		

Some of the slings may be special made in other material/design. Contact your Hill-Rom representative for more information and price.
All of Liko's accessories and slings are approved for a maximum load of 200 kg (440 lbs) if nothing else is described.

Manual Aids				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
HandyTube™				
3710015 3710015-10	HandyTube Short, M, without handles, 70x90 cm (28x35 in) HandyTube Short, M, without handles, 70x90 cm (28x35 in), 10 pcs - Not available in the United States and Canada.	pce set		
3711015 3711015-10	HandyTube Long, M, without handles, 90x185 cm (35x73 in) HandyTube Long, M, without handles, 90x185 cm (35x73 in), 10 pcs - Not available in the United States and Canada.	pce set		
3712015 3712015-10	HandyTube Wide, M, with handles, 140x140 cm (55x55 in) HandyTube Wide, M, with handles, 140x140 cm (55x55 in), 10 pcs - Not available in the United States and Canada.	pce set		
HandySheet™				
3715015 3715015-10	HandySheet Short, M, without handles, 70x70 cm (28x28 in) HandySheet Short, M, without handles, 70x70 cm (28x28 in), 10 pairs - Not available in the United States and Canada.	pair set		
3715017 3715017-10	HandySheet Short, XL, without handles, 120x85 cm (47x34 in) HandySheet Short, XL, without handles, 120x85 cm (47x34 in) 10 pairs - Not available in the United States and Canada.	pair set		
3716015 3716015-10	HandySheet Long, M, with handles, 90x190 cm (35x75 in) HandySheet Long, M, with handles, 90x190 cm (35x75 in) 10 pairs - Not available in the United States and Canada.	pair set		
3716017 3716017-10	HandySheet Long, XL, with handles, 140x215 cm (55x85 in) HandySheet Long, XL, with handles, 140x215 cm (55x85 in) 10 pairs - Not available in the United States and Canada. Including 2 pcs FixStrap (Prod. No. 3696002) / pair	pair set		
3696002 3696002-10	FixStrap 260 cm (102 in) FixStrap 260 cm (102 in), 10 pcs - Not available in the United States and Canada.	pce set		
HandyBelt™				
3760014 3760015 3760016 3760017	S, 7 handles, 60/100 cm (24/39 in) M, 9 handles, 75/120 cm (30/47 in) L, 11 handles, 90/140 cm (35/55 in) XL, 13 handles, 110/180 cm (43/71 in)	pce pce pce pce		

Furniture Risers				
PROD. NO.	PRODUCT DESCRIPTION	UNIT		NEW
Liljan™				
10103	Liljan , brown, 5-15 cm (2-6 in), 1 box = 6 sets à 4 pcs = 24 pcs	box		
10104	Liljan, white, 5-15 cm (2-6 in), 1 box = 6 sets à 4 pcs = 24 pcs Not available in the United States and Canada	box		
Vivan™				
10113	Vivan, brown, 5-15 cm (2-6 in), 1 box = 10 sets à 4 pcs = 40 pcs	box		
10114	Vivan, white, 5-15 cm (2-6 in), 1 box = 10 sets à 4 pcs = 40 pcs	box		
10115	Vivan, beige, 5-15 cm (2-6 in), 1 box = 10 sets à 4 pcs = 40 pcs Not available in the United States and Canada	box		
Victor™				
10131	Viktor, base elevator, aluminium, 4-12 cm (1.6-5 in), 1 box = 5 sets à 4 pcs = 20 pcs Not available in the United States and Canada	box		

Discontinued Models				
PROD. NO.	PRODUCT DESCRIPTION	UNIT	NEW	
2040006	Viking S Electrical lifting/lowering motion, mechanical base-width adjustment, holder with quick reference guide, external charger, wheels 75/75, Universal SlingBar 450. Max 160 kg (350 lbs).	pce		



www.hill-rom.com | www.liko.com

 Liko AB
Nedre vägen 100
SE-975 92 Luleå, Sweden
+46 (0)920 474700

Enhancing outcomes for
patients and their caregivers:

