

PAWS

SPARE PARTS



REHASENSE



Pricelist is valid from 1.01.2024 until the new one is published.

INFORMATION



Transportation costs

We deliver free of charge from a net order value of 50 euros. Below a net order value of 50 euros, there are packaging and freight costs of 15 euros. Until full payment has been received all products remain the property of Rehasense Sp. z o.o.



Customer Service MON-THUR 8:00-16:00; FR 8:00-15:00

MAGDALENA KALISIAK

Customer Service Team Leader

magdalena.kalisiak@rehasense.com

+ 48 668 027 062

MAGDALENA TRAWCZYŃSKA

magdalena.trawczynska@rehasense.com

+ 48 502 728 074

ALEKSANDRA MASIAREK

aleksandra.masiarek@rehasense.com

+ 48 884 274 317

MONIKA SPIETZ

monika.spietz@rehasense.com

+49 2821 590 85 87



Please send orders by email to the following address: info@rehasense.com

This is the quickest and easiest way. Thanks very much! Your Rehasense customer service



Sales Department

HEIKO HOPPENBERG

Sales Manager DACH

heiko.hoppenberg@rehasense.com

+ 49 176 578 821 74

SOREN NIELSEN

Key Account Manager North

soren.nielsen@rehasense.com

+ 45 26 31 33 11

ERIC-JAN HOEKSTRA

Key Account Manager South-West & Austria

ericjan.hoekstra@rehasense.com

+ 31 6 46 98 85 99

ARNO MORSSINKHOF

Key Account Manager West,

Switzerland & Luxemburg

arno.morssinkhof@rehasense.com

+ 31 6 30 07 93 93

MARCO KÖPKE

Key Account Manager South-East

marco.koepke@rehasense.com

+ 49 163 54 820 63

RALPH DICKHUT

Key Account Manager Mitte

ralph.dickhut@rehasense.com

+ 49 176 458 006 98

RÜDIGER FEIST

Gebietsleiter Bayern/BaWü

rudiger.feist@rehasense.com

+ 49 176 363 184 55











ORDER FORM
























Please help us save paper. Please send your orders by e-mail to info@rehasense.com. Thank you very much!



















If you want to place your order by fax, please use the following fax number: + 49 2821 391 4308





















Copmany name :	Date:
Customer ID nb:	Order nb:
Contact person:	Delivery address
E-Mail:	Street & House nb:
Tel./Fax:	Zip code & Town:




















No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
1		Panasonic, Lithium battery pack ZZ991304, 48 V, 11.6 Ah	EBB0048-A			
2		Bracket+switch assembly for 2 parrallel battery	EBH141			
3		Battery holder with bolts	EBB0048-RS			
4		Greenway ZZ991304 battery pack, ZZ991302, 48 V, 5.8 Ah, 278 Wh, without charger, without holder, for boarding. "RSE" assembly	EBB0048B-A			
5		Charger for lithium battery pack, 48 V	EBBC048			
6		USA standard power input cable for charger EBBC048	EBBC048-2A			
7		Charger for lithium battery pack, 48 V, UK version	EBBC048-3			
8		UK standard power input cable for charger EBBC048	EBBC048-3A			
9		Adjustable spindle for manual clamp, M8, D9.3 x 88 mm stainless steel, untreated	EBC131			
10		Lamp assembly with bolts, cable L = 150 mm	EBE002-12R			
11		Lamp, Albert, 48 V, SPL-01, high beam: 1900LM / 40 W, cable L = 450 mm	EBE002-RS			
















No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
12		Lamp assembly for 12' 14' E-bike	EBH065			
13		Tires for City 12"	431207			
14		Tires for City 14"	440872			
15		Tires for Cruiser 16"	431603			
16		Tires for Tourer 20" X 2.125"	432007			
17		Tires for Tourer 20" X 4.0"	432005			
18		Tube for City 12"	451214			
19		Tube for City 14"	450811			
20		Tube for Cruiser 16"	451602			
21		Tube for Tourer 20" X 2.125"	45200A			
22		Tube for Tourer 20" X 4.20"	452000			
23		Shimano RT66 disc rotor D203MM for PAWS with instructions	69D00N			
24		Shimano RT56 disc rotor D160MM for PAWS with instructions	69D00K			
25		Brake caliper for disc brakes, Zoom DB-330 with left and right	69D00-RS			
26		Plate for side bracket, 8 mm stainless steel, L = 230 mm, with scale	EBC055W			
27		Side bracket assembly, Left, Arms L = 90 mm, with Black clamp, for Manual clamp	EBC060L-BK			
28		Side bracket assembly, Right, Arms L = 90 mm, with Black clamp, for Manual clamp	EBC060R-BK			




















No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
29		Side bracket assembly, Left, Arms L = 90 mm, with Black clamp, for Electric clamp	EBC061L-BK			
30		Side bracket assembly, Right, Arms L = 90 mm, with Black clamp, for Electric clamp	EBC061R-BK			
31		Arm for side bracket, stainless steel, L = 107 mm, with scale	EBC107A			
32		Arm for side bracket, stainless steel, L = 107 mm, without scale	EBC107B			
33		Arm for side bracket, stainless steel, L = 150 mm, with scale	EBC150A			
34		Arm for side bracket, stainless steel, L = 150 mm, without scale	EBC150B			
35		Arm for side bracket, stainless steel, L = 190 mm, with scale	EBC190A			
36		Arm for side bracket, stainless steel, L = 190 mm, without scale	EBC190B			
37		Screw M12 x 25, similar to din 7991, for pin without scale	1910NW			
38		Bolt M10 x 25, DIN 912, ISO 4762, for pin with scale	1912R8			
39		Manual clamp for PAWS, without safety lock, left side, silver anodized	EBC00F-SL			
40		Electric clamp for PAWS, with 24 V / 110 RPM / 27 Nm motor, Left side, Silver	EBD01A-SI			
41		Support leg sub assembly left side for manual lift 12 inch E-bike	EBL00H			
42		Small wheel assembly for support leg for E-bike	EBL00H-A			
43		Support leg sub assembly right side for manual lift for 12 inch E-bike	EBL00J			
44		Support leg sub on front fork assembly right side for 16 inch E-bike	EBL01D			
45		Support leg sub on front fork assembly left side for 20 inch E-bike	EBL01E			
46		Support leg sub assembly on front fork left and right side for 20 inch E-bike	EBL01EF			
47		Support leg sub on front fork assembly right side for 20 inch E-bike	EBL01F			


















No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
48		Support tube for support leg for 16 inch E-bike, aluminium, Black anodizing	EBL043			
49		Bracket for support leg for 20 inch E-bike S420 steel, powder coated Black	EBL093			
50		Support leg subassembly left for 12 inch	EBL00S			
51		Support leg subassembly left for 14 inch	EBL00S			
52		Support leg subassembly left for 16 inch	EBLOOK			
53		Support leg subassembly left for 20 inch	EBLOOP			
54		Mudguard yungfang, Black, fd-28-r, with bracket, for 20 x 2.125 inch E-bike	EBF105A			
55		Mudguard Black, for 12 inch	EBF102B-RS			
56		Mudguard Black, for 14 inch	EBF102B-RS			
57		Mudguard Black, for 16 inch	EBF104B-RS			
58		Mudguard Black, for 20 X 4.0 inch	EBF103B-RS			
59		Side bracket, right pins L = 107 mm, with Black clamp	EBC107R-BK			
60		Sleeve for Manual PAWS Clamp, Alu. 6061-T6, D51, 5 x L18 Black anodized	EBC045-BK			
61		QR handle for manual central lift unit, aluminum with bolt	EBA115-RS			
62		Manual clamp for PAWS, without safety lock, Right side, Silver anodized	EBC00E-SL			
63		Electric clamp for PAWS, with 24 V / 110 RPM / 27 Nm motor, Right side, Silver	EBD01B-SI			
64		Basket + lamp assembly for 20' E-bike	EBE00V-A			
65		Basket + lamp assembly for 16' E-bike	EBE00V-B			

No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
66		Spare part kit for lock on the old basket holder (5 items)	EBH082-RS			
67		Bag basket for 16' 20' Auto Lift E-bike assembly	EBH172			
68		Holder for 16' 20' Manual Lift E-bike assembly	EBH174			
69		Basket holder for 12''/14'' E-bike unit	EBH208			
70		Bag support with long tube, for 12'', 14'' manual / auto and 16'', 20'' auto for dual battery holder	EBH170-L			
71		Support frame for 16'20' manual lift system, long version for dual battery holder	EBH168-L			
72		Support leg subassembly right for 12 inch	EBLOOT			
73		Support leg subassembly right for 14 inch	EBLOOT			
74		Support leg subassembly right for 16 inch	EBL00L			
75		Support leg subassembly right for 20 inch	EBL00Q			
76		Small wheel assembly with 200 length adjustable bar for support leg for E-bike	EBL00H-B			
77		Brake pad for brake caliper, set of 2	69D00U-RS			
78		Handlebar grip	EBE00L-RS			
79		Tetra foam handle assembly 3 pieces in set	EBH00E-RS			
80		Handlebar, aluminum, D22 x 1.5, L = 480 mm, black	EBH002			
81		Display for PAWS, IMPORTANT: Before shipping, the display must be re-programmed with the latest software and the dealer's own login + setting profile must be set as usual	EBE000			
82		Sticker for buttons	EBS541-RS			
83		Parts for extension bar	EBF021-RS			
84		4 Switch unit for PAWS, DK2402, D22 mm, cable L = 200 mm, 7PIN, with JL-F-710AG connector	EBE004-SP			
85		Tester for lamp SPL-1, DK138/2, with EBE016-2F (JL-F-Z208M), waterproof cable, L = 200 mm	EBE011-LP			














No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
86		Speed mode button + Power switch, FOR DISPLAY	EBE000-S			
87		Throttle + 3 buttons, S4301 + HT390. (Cruise/TC/Walk) for PAWS, cable L = 200 mm	EBE00H-SP			
88		Cable with changeover switch for manual lift system for PAWS	EBA142			
89		Cable with shift switch (80mm longer) for manual lift system for E-bike.	EBA142L			
90		Spiral cable with 2-sided 5-wire waterproof plug for E-Clamp	EBE011C			
91		Brake cable L: D7.0 x 1050 mm / inner L: D1.5 x 890 mm, for 12", 14", 16" and 20", Standard handle	69104D			
92		Brake cable L: D5.0 x 1070 mm / inner L: D1.5 x 890 mm, for 12", 14", 16" and 20", TETRA handle	691030			
93		Brake cable for handgrip - outer D5 x 1200 mm, inner D1.5 x 1400 mm Black	691008			
94		Brake cable, outer L: D5.0 x 1176mm / inner L: D1.5 X 996 mm, Tetra wider handlebar	69104T			
		Brake cable, outer L: D7.0 x 1148mm / inner L: D1.5 X 988 mm, Manual and Auto wider handlebar	69104U			
95		Integrated waterproof cable, 10 PIN	EBE00B-4			
96		Cable with adjust bolt (80 mm longer) for manual lift system for PAWS	EBE00B-4L			
97		Integrated waterproof cable, L = 500 mm, (lamp / horn / automatic clamp), 7 PIN	EBE00B-5			
98		Battery holder with 3 keys	EBB0048-KU			
99		Lamp holder	EBE002-B			
100		PAWS actuators 45 mm stroke length	94RA65A			
101		PAWS actuators 38 mm stroke length	94RA66A			
102		E-Clamp and Auto Lift Control System Update Unit	EBE0101-UP			
103		12" motor assembly for 12" PAWS	EBT00A-P			
104		14" motor assembly for 14" PAWS	EBT00B-P			



No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
105		16" motor assembly for 16" PAWS	EBT00C-P			
106		20" motor assembly for 20" PAWS	EBT00D-P			
107		Manual lift central unit for 20 inch E-bike, with head tube (EBA120), without easy lift function	EBA01B			
108		Manual lift central unit for 12 inch E-bike, with head tube (EBA130), without easy lift function	EBA01C			
109		Gear with support tube for manual lift system, without easy lift function, width: 144 mm	EBA00F-1			
110		Gear with support tube for manual lift system, without easy lift function, width: 150 mm	EBA02B-1			
111		Swing arm with double holes beam, weldment, w = 150 mm, heating treatment T6, Black anodized	EBA024-BK			
112		Swing arm with double holes beam, weldment, w = 200 mm, heating treatment T6, Black anodized	EBA005-BK			
113		Gear axle d12 x 41.75 for manual lift central unit	EBA110			
114		Automatic center unit (lifting mechanism for 12", W = 146 mm, with steering column)	EBA02A-BK			
115		Automatic center unit (lifting mechanism for 16"/20", W = 146 mm, with steering column)	EBA03A-BK			
116		Complete control unit for 12" 14" PAWS, with Auto clamp Manual lift control	EBE00AM1			
117		Complete control unit for 16" 20" PAWS, with Auto clamp Manual lift control	EBE00AM2			
118		Controller box assembly for 12"/14" Manual lift PAWS, with controllier	EBE00M-124			
119		EN - controller box assembly for 16" manual lift PAWS, with controllier	EBE00M-16			

No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
120		EN - controller box assembly for 20" manual lift PAWS, with controller	EBE00M-20			
121		EN - controller box assembly for 12"/14" automatic lift PAWS, with controller	EBE00A-124			
122		EN - controller box assembly for 16" automatic lift PAWS, with controller	EBE00A-16			
123		EN - controller box assembly for 20" automatic lift PAWS, with controller	EBE00A-20			
124		E-clamp and Auto lift controller, with brake detection, without coil cable	EBE0101B			
125		Povit pin with threaded holes M8, D8 x L31.2, stainless steel	EBA012			
126		Flange head bolt M5 x 10, Black galvanized, 10.9 grade	EBA028			
127		Protective piece for kuschall wheel chair for E-bike, with D3.2 mm hole, PVC, Black. Length: 50 mm	EBC001-K			
128		Protective piece for oval clamp of PAWS, 5 mm bigger, with D3.2 mm holes, length 50 mm	EBC001-P			
129		Protective clamp for E-bike, glass blasting + Black anodizing	EBC02N			
130		Protective piece for clamp, with D3.2 mm hole, Black. Length: 40 mm	EBC001-C			
131		Protective piece for clamp, with D3.2 mm hole, Black. Length: 50 mm	EBC001-A			
132		Protective piece for clamp, with D3.2 mm hole, Black. Length: 70 mm	EBC001-E			
133		BOLT M3 x 8, for protective piece for clamps	1910NH			
134		Plate for side bracket weldment, 8 mm stainless steel, with scale	EBC035W			
135		DM Controller for 12" wheel E-bike, 20 A, 48 VDC, 350W/400W, with 12" programming, full checking and packing	EBE005-12			
136		DM Controller for 14" wheel E-bike, 20 A, 48 V DC, 350 W / 400 W, with 14" programming, full checking and packing	EBE005-14			
137		DM Controller for 16" wheel E-bike, 25 A, 48 V DC, 500 W	EBE006			
138		DM Controller for 20" wheel E-bike, 25 A, 48 V DC, 500 W	EBE007			

No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
139		Integrated waterproof cable for E-bike, YHIT4, (Brakex 2 / lamp / DK2402), 10 PIN	EBE00B-4			
140		Terproof cable for E-bike, 1T1, L = 500 mm, (Throttles+3 buttons, WUXING, S4301 + HT390, and display), 6 PIN	EBE00C-1			
141		Waterproof cable for E-bike, 1T1, L = 600 mm, (for E-clamp active switch), 2 PIN	EBE00C-2			
142		Waterproof extension cable for E-bike, 1T1, L = 300 mm, 3 PIN	EBE00C-3			
143		Red Switch with cable for hydraulic brake, cable length = 200 mm, 2PIN male waterproof plug, Jun Lei, JL-F-Z209G	EBH379			
144		Brake handle for E-bike, with parking, WU XING 108P-4, 1SET (Left+Right), cable L = 100 mm, JL-F-Z308AG plug	EBE00F			
145		EBE00L-1 Punching D20 for side warming lamp for Tetra handle	EBE00L-TS			
146		Front fork for 12" E-bike, 45# steel, KTL + powder coated	EBFO0A			
147		Front fork for 16" E-bike, 45# steel, KTL+ powder coated	EBFO0B			
148		Front fork for 20" E-bike, 45# steel, KTL + powder coated	EBFO0C			
149		Front fork for 16" E-bike, tube = 382, 45# steel, KTL+ powder coated	EBFO0D			
150		Front fork for 20" E-bike, tube = 382, 45# steel, KTL + powder coated	EBFO0F			
151		Spring D3.4 x D28.4 x L55 mm for straight direction, piano wire SWP, 45-50 HRC, Silver galvanized	EBF042-S			
152		Bear paw LOGO for Rehasense, zinc alloy, with M3 thread, with 2 PCS M3 x 3 bolt, Blue color	EBF110			
153		Handle bar assembly for Automatic E-bike, with normal brake	EBH00F			
154		Adjustable stem bar FMFXTR, stroke: 30 mm, for E-bike, Black	EBH00G			
155		Adjustable stem bar FMFXTR, stroke: 55 mm, for E-bike, Black	EBH01G			

No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
156		Tetra handle upgrade unit	EBH00L			
157		Vertical Tetra control upgrade	EBH00L-V			
158		Standard (para) handle upgrade unit	EBH00M			
159		Rear mirror + rear lamp for E-bike assembly	EBH00N			
160		Tetra brake push down, eco version, assembly	EBH012			
161		Hydraulic Tetra brake, with EBH308, for 20" inch PAWS	EBH03T			
162		Vertical Tetra handle assembly, Left and Right for replacement, 4 pcs/set	EBH195			
163		Thumb throttle include connection cable, for Left and Right side of handle	EBE00M			
164		Throttle grip assist, Blue colour, for PAWS	EBH218-BE			
165		Throttle grip assist, Black colour, for PAWS	EBH218-BK			
166		Throttle grip assist, Green colour, for PAWS	EBH218-GN			
167		Throttle grip assist, Red colour, for PAWS	EBH218-RD			
168		Throttle grip assist, Yellow colour, for PAWS	EBH218-YW			
169		Spare parts for hydraulic brake for PAWS, from ZOOM	EBH00J			

No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
170		Hydraulic brack, without disc, 156 lever + 156 Left caliper + 150 Right caliper, switch cable length = 900 mm, from Wuxing	EBH300			
171		Handle bar for PAWS, FMFXTR, center diameter: 25.4mm, width: 600 mm, ALU 6061-T6, glass basting + Black anodizing	EBH301			
172		Hydraulic brack, without disc, HB-870-2, with CA-01 caliper L+R, switch cable = 200 mm, oil cable = 800 mm, from ZOOM	EBH303			
173		Hydraulic brake, HB-870-T-E-2 Left lever, for 20", CA-01 caliper, switch cable = 200 mm, oil tube = 800 mm, A1 adapter, ZOOM	EBH303-L			
174		Hydraulic brake, HB-870-T-E-2 Right lever, for 20", CA-01 caliper, switch cable = 200 mm, oil tube = 800 mm, A1 adapter, ZOOM	EBH303-R			
175		Hydraulic brake, HB-870-2, with parking function, with CA-01 caliper L + R, switch cable = 200 mm, oil tube = 900 mm, from ZOOM	EBH304			
176		Hydraulic brake, HB-870-T-E-2 Left lever, for 12", CA-01 caliper, switch cable = 200 mm, oil tube = 900 mm, A1 adapter, ZOOM	EBH304-L			
177		Hydraulic brake, HB-870-T-E-2 Right lever, for 12", CA-01 caliper, switch cable = 200 mm, oil tube = 900 mm, A1 adapter, ZOOM	EBH304-R			
178		Hydraulic brake, HB-870-T-E-2 L + R, for 16", CA-01 caliper, switch cable = 200 mm, oil tube = 900 mm, A5 adapter, ZOOM	EBH307			
179		Hydraulic brake, HB-870-T-E-2 Left lever, for 16", CA-01 caliper, switch cable = 200 mm, oil tube = 800 mm, A5 adapter, ZOOM	EBH307-L			
180		Hydraulic brake, HB-870-T-E-2 Right lever, for 16", CA-01 caliper, switch cable = 200 mm, oil tube = 800 mm, A5 adapter, ZOOM	EBH307-R			
181		Anti rotation washer for HT motor, for Hengtai motor	EBF069			
182		The lever with plastic coated handle. For mounting a tyre you need 3 pcs.	491002			

No.	Picture	Item description	Item no	Order qty	EK Netto	RRP VAT included
183		Spare parts for replacement of motor axle loosen problem FOR PAWS	EBF00G-B			
184		Longer coil cable, for E-clamp	EBE011D			

NOTE: We do not offer cross and side frames as spare parts. With good reason we classify such damages as dangerous and total loss. It means the user needs a new rollator. Safety is the highest priority.



REHASENSE

REHASENSE DENMARK
GLARMESTERVEJ 16 A, ST. TV.
8600 SILKEBORG
DENMARK
☎ +49 176 588 788 01
✉ INFO@REHASENSE.COM

REHASENSE DEUTSCHLAND GMBH
STERNBERGER STR. 12
32699 EXTERTAL
GERMANY
☎ +49 2821 590 8587
✉ INFO@REHASENSE.COM

REHASENSE UK LIMITED/IRELAND
UNIT 2, HARMONY HOUSE
TRELEIGH INDUSTRIAL ESTATE
REDRUTH, CORNWALL TR16 4DE
UNITED KINGDOM
☎ +44 (0) 333 220 0704
✉ UKADMIN@REHASENSE.COM

REHASENSE SP. Z O.O.
SULEJOWSKA 45G
97-300 PIOTRKÓW TRYBUNALSKI
POLAND
☎ +48 502 728 074
✉ INFO@REHASENSE.COM

REHASENSE BENELUX
MARKEWEG 81
8398GM BLESIJKE
NETHERLANDS
☎ +31 653 837 211
✉ INFO@REHASENSE.NL

REHASENSE CHINA
NO.289, WENGJIAO ROAD
XINYANG INDUSTRIAL AREA
361022 HAICANG, XIAMEN
CHINA
☎ +86 592 688 4014
✉ EVELYN.CHEN@REHASENSE.COM

REHASENSE KOREA
1F. 338-46, DONGBUSUNHWAN-RO
WONJU-SI 26454 GANGWON-DO
REPUBLIC OF KOREA
☎ +82 070 4216 3429
✉ JONGSUNG.KIM@REHASENSE.COM

REHASENSE NEW ZEALAND
UNIT 4, 260 APIRANA AVENUE
GLEN INNES, AUCKLAND, 1072
NEW ZEALAND
☎ +09 555 3111
✉ NZ-INFO@REHASENSE.COM


REHASENSE MENA
QETAF MEDICAL EST
3599 PRINCE MOHAMMED BIN
ABDULAZIZ ST, SAUD LANGAW
CENTER, AL ANDALUS JEDDAH 23326,
SAUDI ARABIA
☎ +96 650 664 1993
✉ SALES-MIDDLE-EAST@REHASENSE.COM

REHASENSE SVERIGE AB
POLHEMSGATAN 28, SE-392 39 KALMAR
SWEDEN
☎ +46 480 13154
✉ MATS.LAVEBORN@REHASENSE.COM

REHASENSE MOBILITY CANADA LTD
137 BUTTERMILL AVENUE
CONCORD, ONTARIO, L4K 3X5
CANADA
☎ +1 289 654 1901
✉ INFO.CANADA@REHASENSE.COM

REHASENSE USA
1333 BURR RIDGE PARKWAY SUITE 200
BURR RIDGE, IL 60527
USA
☎ +1 630 756 3099
✉ INFO-USA@REHASENSE.COM

Follow us on social media



Rehasense's quality management complies with both the ISO 9001 and ISO 13485 standards, as confirmed by TÜV NORD.
Rehasense's medical devices are CE-marked and meet the requirements of EU Regulation 2017/745 (MDR).
Copyright Rehasense® 2024



VI-2024