


TEST REPORT
EN 12184:2014
TUV SUD Test report for
Electrically powered wheelchairs, scooters and their chargers -
Requirements and test methods

Report reference No.	713252112		
Date of issue	2022-07-26		
Project handler.....	Matthias Müller		
Testing laboratory	TÜV SÜD Product Service GmbH		
Address	Masurenweg 1-3, 30163 Hanover, Germany		
Testing location	as above		
Client.....	Sunrise Medical GmbH		
Client number.....	36070		
Address	Kahlbachring 2-4, 69254 Malsch / Heidelberg, Germany		
Contact person.....	Mr. Gerhard Weis		
Standard.....	This TUV SUD test report form is based on the following requirements: EN 12184:2014		
TRF originated by.	TUV SUD Product Service GmbH, Mr. Michael Kese, Dipl.-Ing. (product specialist)		
Copyright blank test report.....	This test report is based on the content of the standard (see above). The test report considered selected clauses of the a.m. standard(s) and experience gained with product testing. It was prepared by TUV SUD Product Service GmbH. TUV SUD Group takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.		
Scheme	<input type="checkbox"/> TÜV Mark, <input checked="" type="checkbox"/> without certification		
Non-standard test method	<input checked="" type="checkbox"/> No <input type="checkbox"/> Yes, see details under Summary		
National deviations.....	N/A		
Number of pages (Report).....	66		
Number of pages (Attachments)	N/A		
Compiled by (+ signature)	 SIGN-ID 677772 26.07.2022	Approved by.....: Torsten Zimmer (+ signature)	 SIGN-ID 677892 26.07.2022

Test sample.....	: HAN-641912-1
Type of test object.....	: Electrically driven wheelchair
Trademark	: 
Model and/or type reference.....	: Q300 R
Rating(s)	: See copy of marking plate
Manufacturer	: Sunrise Medical GmbH
Manufacturer number.....	: 36070
Address	: Kahlbachring 2-4, 69254 Malsch / Heidelberg, Germany
Sub-contractors/ tests (clause).....	: N/A
Name	: N/A
Order description.....	: <input checked="" type="checkbox"/> Complete test according to TRF <input type="checkbox"/> Partial test according to manufacturer's specifications <input type="checkbox"/> Preliminary test <input type="checkbox"/> Spot check <input type="checkbox"/> Other:
Date of order.....	: 2022-02-17
Date of receipt of test item.....	: 2022-03-22
Date(s) of performance of test.....	: 2022-04-11 to 2022-07-25
Test item particulars:	Electrically powered wheelchair, type Q300 R with SEDEO® LITE seating system
Attachments:	N/A
General remarks:	"(see remark #)" refers to a remark appended to the report. "(see appended table)" refers to a table appended to the report. Throughout this report a comma is used as the decimal separator. The test results presented in this report relate only to the object tested. This report shall not be reproduced except in full without the written approval of the testing laboratory.

Summary of testing:

The product fulfils the requirements of EN 12184:2014

Decision rule:

The decision rule "Binary statement with guard band – guard band length = 95 % extended measurement uncertainty" according to ILAC-G8:09/2019 will be applied.

Additional information on Non-standard test method(s)

Sub cl..... : --

Page..... : --









Rational..... : --

- deviation(s) found / product is not in compliance with the specified requirements
- no deviations found / product is in compliance with the specified requirements

If additional information is necessary, please provide

N/A

Copy of marking plate:

	 Sunrise Medical GmbH Kahlbachring 2-4 D-69254 Malsch / Germany	 2022-07-12
TYPE:	POWER WHEELCHAIR	SN 21022262879959
Q300 R	ISO 7176-19:2009	FIN-Nr: V0005743
 136 kg	 max 285 kg	 max 6 km/h
	 max 6°	 max 190/125kg
	