


charge









Specification:

DC supply voltage: DC5V / 1A
 Working environment: -5~40°C
 LED type lamp: 6000-6500K, 0.2W
 LED quantity: 6 pcs
 LED life: ≥30000 hours
 High brightness 100LM / ±390mA
 Mid brightness 35LM / ±140mA
 Low brightness 8LM / ±38mA
 Battery: Li-Po 3.7V 600mAh
 Adapter: excl.



LED lampe



lading



Spesifikasjoner:

DC-forsyningsstrøm: 5 V DC / 1 A

Bruksomgivelser: -5-40 °C

LED-lampe: 6000-6500 K, 0,2 W

Antall LED-lys: 6 stk

LED-lysenes levetid: ≥30000 timer







Høy lysstyrke 100 LM / ±390 mA

Middels lysstyrke 35 LM / ±140 mA

lysstyrke 8 LM / ±38 mA

Batteri: Li-Po 3,7 V 600 mAh

Adapter: ikke inkludert









ladda



Specifikation:

DC-matningsspänning: 5 VDC / 1 A
 Driftomgivning: -5-40 °C
 Typ av LED-lampa: 6000-6500K, 0,2 W
 Antal LED-lampor: 6 st.
 LED-lampans livslängd: ≥ 30 000 timmar
 Hög ljusstyrka: 100 LM/± 390 mA
 Medelhög ljusstyrka: 35 LM/± 140 mA
 Låg ljusstyrka: 8 LM/± 38 mA
 Batteri: Li-Po 3,7 V/600 mAh
 Adapter: exkl.



charge



Specifikationer:

Jævnstrøm forsyningsspænding: Jævnstrøm 5 V 1 A

Driftsmiljø: -5 - 40 °C

LED-pæretype: 6000-6500K, 0,2 W

Antal LED: 6 stk.

LED-levetid: ≥30000 timer

Høj lysstyrke 100 LM / ±390 mA

Middel lysstyrke 35 LM / ±140 mA

Lav lysstyrke 8 LM / ±38 mA

Batteri: Li-Po 3,7 V 600 mAh

Strømforsyning: ekskl.