

Liko AB  
 Nedre vagen 100,  
 975 92 Lulea, Sweden,

**Memo to File:**

We, *Liko AB*, Manufacturer of the Overhead Lifts, Likorall, LikoGuard, and Multirall, which are classified as medical devices (MD) and are EU MDR 2017-745 CE marked, declare the Overhead Rail System \_ which consists of various types of ceiling mounted or suspended rails, as turn tables, traverse-switches, carriages, end stops, supports and attachments \_ as components of the medical devices which do not have to be MD classified and EU MDR 2017-745 CE marked.

Our Overhead Lift Systems are equipment designed to assist caregivers to provide safe and efficient transfers of patients. Rails and other components are included in overhead lift systems to provide movement of the equipment, support, and stability for the patient during transfer. Therefore, rails are an integral part of the equipment and play a crucial role in the functionality and safety of Overhead Lift Systems.

**Components within scope of review:**

310412201N 45° RailCurve H70, natural, 0,6m/0,6m (24 in/24 in)
310412201V 45° RailCurve H70, white, 0,6m/0,6m (24 in/24 in)
31012028V Embedded Straight Rail H70, 2.8m, white
31012030V Embedded Straight Rail H70, 3.0m, white
31012032V Embedded Straight Rail H70, 3.2m, white
31012034V Embedded Straight Rail H70, 3.4m, white
31012036V Embedded Straight Rail H70, 3.6m, white
31012038V Embedded Straight Rail H70, 3.8m, white
31012040V Embedded Straight Rail H70, 4.0m, white
31012042V Embedded Straight Rail H70, 4.2m, white
31012044V Embedded Straight Rail H70, 4.4m, white
310412110V 90° Embedded Rail Curve H70, white, 1m/1m (39 in/39 in)
310412210V 45° Embedded Rail Curve H70, white, 0.6 m/0.6 m (24 in/24 in)
31013020N 2,0 m Straight Rail H100 (78 in), natural
31013022N 2,2 m Straight Rail H100 (86 in), natural
31013024N 2,4 m Straight Rail H100 (94 in), natural

31013026N 2,6 m Straight Rail H100 (102 in), natural
31013028N 2,8 m Straight Rail H100 (110 in), natural
31013030N 3,0 m Straight Rail H100 (118 in), natural
31013032N 3,2 m Straight Rail H100 (126 in), natural
31013034N 3,4 m Straight Rail H100 (134 in), natural
31013036N 3,6 m Straight Rail H100 (141 in), natural
31013038N 3,8 m Straight Rail H100 (150 in), natural
31013040N 4,0 m Straight Rail H100 (157 in), natural
31013042N 4,2 m Straight Rail H100 (165 in), natural
31013044N 4,4 m Straight Rail H100 (173 in), natural
31013020V 2,0 m Straight Rail H100 (78 in), white
31013022V 2,2 m Straight Rail H100 (86 in), white
31013024V 2,4 m Straight Rail H100 (94 in), white
31013026V 2,6 m Straight Rail H100 (102 in), white
31013028V 2,8 m Straight Rail H100 (110 in), white
31013030V 3,0 m Straight Rail H100 (118 in), white
31013032V 3,2 m Straight Rail H100 (126 in), white
31013034V 3,4 m Straight Rail H100 (134 in), white
31013036V 3,6 m Straight Rail H100 (141 in), white
31013038V 3,8 m Straight Rail H100 (150 in), white
31013040V 4,0 m Straight Rail H100 (157 in), white
31013042V 4,2 m Straight Rail H100 (165 in), white
31013044V 4,4 m Straight Rail H100 (173 in), white
31013428N 2,8 m Straight Rail H140 (110 in), natural
31013430N 3,0 m Straight Rail H140 (118 in), natural
31013432N 3,2 m Straight Rail H140 (126 in), natural
31013434N 3,4 m Straight Rail H140 (134 in), natural
31013436N 3,6 m Straight Rail H140 (141 in), natural
31013438N 3,8 m Straight Rail H140 (150 in), natural
31013440N 4,0 m Straight Rail H140 (157 in), natural
31013442N 4,2 m Straight Rail H140 (165 in), natural
31013444N 4,4 m Straight Rail H140 (173 in), natural
31013446N 4,6 m Straight Rail H140 (181 in), natural
31013448N 4,8 m Straight Rail H140 (189 in), natural
31013450N 5,0 m Straight Rail H140 (197 in), natural
31013452N 5,2 m Straight Rail H140 (205 in), natural
31013454N 5,4 m Straight Rail H140 (213 in), natural
31013456N 5,6 m Straight Rail H140 (220 in), natural
31013458N 5,8 m Straight Rail H140 (228 in), natural

31013460N 6,0 m Straight Rail H140 (236 in), natural
31013462N 6,2 m Straight Rail H140 (244 in), natural
31013464N 6,4 m Straight Rail H140 (252 in), natural
31013428V 2,8 m Straight Rail H140 (110 in), white
31013430V 3,0 m Straight Rail H140 (118 in), white
31013432V 3,2 m Straight Rail H140 (126 in), white
31013434V 3,4 m Straight Rail H140 (134 in), white
31013436V 3,6 m Straight Rail H140 (141 in), white
31013438V 3,8 m Straight Rail H140 (150 in), white
31013440V 4,0 m Straight Rail H140 (157 in), white
31013442V 4,2 m Straight Rail H140 (165 in), white
31013444V 4,4 m Straight Rail H140 (173 in), white
31013446V 4,6 m Straight Rail H140 (181 in), white
31013448V 4,8 m Straight Rail H140 (189 in), white
31013450V 5,0 m Straight Rail H140 (197 in), white
31013452V 5,2 m Straight Rail H140 (205 in), white
31013454V 5,4 m Straight Rail H140 (213 in), white
31013456V 5,6 m Straight Rail H140 (220 in), white
31013458V 5,8 m Straight Rail H140 (228 in), white
31013460V 6,0 m Straight Rail H140 (236 in), white
31013462V 6,2 m Straight Rail H140 (244 in), white
31013464V 6,4 m Straight Rail H140 (252 in), white
31013654N 5,4 m Straight Rail H160 (213 in), natural
31013656N 5,6 m Straight Rail H160 (220 in), natural
31013658N 5,8 m Straight Rail H160 (228 in), natural
31013660N 6,0 m Straight Rail H160 (236 in), natural
31013662N 6,2 m Straight Rail H160 (244 in), natural
31013664N 6,4 m Straight Rail H160 (252 in), natural
31013666N 6,6 m Straight Rail H160 (260 in), natural
31013668N 6,8 m Straight Rail H160 (268 in), natural
31013654V 5,4 m Straight Rail H160 (213 in), white
31013656V 5,6 m Straight Rail H160 (220 in), white
31013658V 5,8 m Straight Rail H160 (228 in), white
31013660V 6,0 m Straight Rail H160 (236 in), white
31013662V 6,2 m Straight Rail H160 (244 in), white
31013664V 6,4 m Straight Rail H160 (252 in), white
31013666V 6,6 m Straight Rail H160 (260 in), white
31013668V 6,8 m Straight Rail H160 (268 in), white
31013078N 7,8 m Straight Rail H180 (307 in), natural

3101321N Reinforcement Rail 30, 1,45 m, natural (58 in.)
3101312N Reinforcement Rail 50, 1,95 m, natural (77 in.)
3101303N Reinforcement Rail 100, 2,4 m, natural (95 in.)
3101304N Reinforcement Rail 100, 2,9 m, natural (114 in.)
3101305N Reinforcement Rail 100, 3,4 m, natural (134 in.)
3101306N Reinforcement Rail 100, 3,9 m, natural (154 in.)
3101321V Reinforcement Rail 30, 1,45 m, white (58 in.)
3101312V Reinforcement Rail 50, 1,95 m, white (77 in.)
3101303V Reinforcement Rail 100, 2,4 m, white (95 in.)
3101304V Reinforcement Rail 100, 2,9 m, white (114 in.)
3101305V Reinforcement Rail 100, 3,4 m, white (134 in.)
3101306V Reinforcement Rail 100, 3,9 m, white (154 in.)
3103115 FreeSpan Rail 1,5 m LR (60 in), max 250 kg (550 lbs)
3103120 FreeSpan Rail 2,0 m LR (79 in), max 250 kg (550 lbs)
3103125 FreeSpan Rail 2,5 m LR (98 in), max 250 kg (550 lbs)
3103130 FreeSpan Rail 3,0 m LR (118 in), max 250 kg (550 lbs)
3103135 FreeSpan Rail 3,5 m LR (138 in), max 250 kg (550 lbs)
3103140 FreeSpan Rail 4,0 m LR (158 in), max 230 kg (507 lbs)
3103145 FreeSpan Rail 4,5 m LR (177 in), max 200 kg (440 lbs)
3103150 FreeSpan Rail 5,0 m LR (197 in), max 200 kg (440 lbs)
3103215 FreeSpan Rail 1,5 m MR (59 in), max 250 kg (550 lbs)
3103220 FreeSpan Rail 2,0 m MR (79 in), max 250 kg (550 lbs)
3103225 FreeSpan Rail 2,5 m MR (98 in), max 250 kg (550 lbs)
3103230 FreeSpan Rail 3,0 m MR (118 in), max 250 kg (550 lbs)
3103235 FreeSpan Rail 3,5 m MR (138 in), max 250 kg (550 lbs)
3103240 FreeSpan Rail 4,0 m MR (158 in), max 230 kg (507 lbs)
3103245 FreeSpan Rail 4,5 m MR (177 in), max 200 kg (440 lbs)
3103250 FreeSpan Rail 5,0 m MR (197 in), max 200 kg (440 lbs)
3101802 Pendant T, adjustable 300-550 mm (12-22 in)
3101803 Pendant T, adjustable 500-750 mm (22-30 in)
3101804 Pendant T, adjustable 700-950 mm (28-37 in)
3101805 Pendant T, adjustable 900-1150 mm (35-45 in)
3101806 Pendant T, adjustable 1100-1350 mm (43-53 in)
3124604 Traverse Switch, incl. dampers
3124631 Side Rail Switch, manual, natural
3124632 Side Rail Switch, manual, white
3124633 Side Rail Switch, electrical, natural
3124634 Side Rail Switch, electrical, whit

3124625	Turntable, mechanical, grey
3124626	Turntable, mechanical, white
3124623	Turntable, electrical, grey
3124624	Turntable, electrical, white
3101570	Stabilization Bar for Traverse Switch
3102513	Traverse Rail Carrier, slim
3102511	Traverse Rail Carrier, standard
3102512	Traverse Rail Carrier, wide
3102518	Traverse Rail Carrier, extra wide
3102561	Traverse Rail Carrier, parallel/standard
3102514	Traverse Rail Carrier, raised/slim
3102515	Traverse Rail Carrier, raised/standard
3102556	Traverse Rail Carrier, raised/wide
3102506	Traverse Rail Carrier raised/wide with cable entry
3102516	Traverse Rail Carrier, lowered/slim
3102517	Traverse Rail Carrier, lowered/standard
3102509	Traverse Rail Carrier, lowered/wide, with cable entry
3102519	Traverse Rail Carrier
3102531	Traverse Rail Carrier, raised/standard
3102532	Traverse Rail Carrier, raised, wide
3102520	Traverse Carrier Multi, standard
3102521	Traverse Carrier Multi, wide
3102522	Traverse Carrier Multi, wide/raised
3102523	Traverse Carrier Multi, lowered/wide
3126046	Transfer Motor Traverse
310412300V	30° RailCurve H70 white 0.6m/0.6m (24 in/24 in)
310412310V	30° Embedded Rail Curve H70 white 0.6 m/0.6 m (24 in/24 in)
310413100V	90° RailCurve H100 white 1m/1m (39 in/39 in)
310413200V	45° RailCurve H100 white 0.6m/0.6m (24 in/24 in)
310413300V	30° RailCurve H100 white 0.6m/0.6m (24 in/24 in)
310414100V	90° RailCurve H140 white 1m/1m (39 in/39 in)
310414200V	45° RailCurve H140 white 0.6m/0.6m (24 in/24 in)
310414300V	30° RailCurve H140 white 0.6m/0.6m (24 in/24 in)
3124627	1000 lbs Turntable electrical white
3124605	1000 lbs Traverse switch